Page 1 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #:

IC1167-0202 Product Code: 4609A / F45-2051

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

**COMPANY/UNDERTAKING** 

**Product Name:** Canon Color BJ Cartridge BC-31e

4609A / F45-2051 **Product Code:** 

Canon Inc., 30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan, Ph# 03-3758-2111 Manufacturer:

Supplier: Canon USA, Inc., One Canon Park, Melville, NY 11747, USA

Phone #: 1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300

#### **SECTION 2** COMPOSITION/INFORMATION ON INGREDIENTS

_1	Íngi	har	ioni	t(c)	_
<	I II V	-	-		-

Chemical Name / Generic name	CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
Glycerin	56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m <sup>3</sup> Respirable fraction TWA = 5 mg/m <sup>3</sup>	(as mist) $TWA = 10 \text{ mg/m}^3$	Not established	Not established
Ethylene glycol (Contained in cyan and magenta ink)	107-21-1 / 203-473-3	2 - 6	Xn / R22	Not established	(aerosol) Ceiling = 100 mg/m <sup>3</sup>	TWA = 20 ppm, 52 mg/m <sup>3</sup> STEL = 40 ppm, 104 mg/m <sup>3</sup>	10 ppm, 26 mg/m <sup>3</sup>
Diethylene glycol	111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m <sup>3</sup>
Copper, [29H,31H-phthalocyaninato(2-) -N29,N30,N31,N32] -, aminosulfonyl sulfo derivs., sodium salts (Contained only in cyan ink)	90295-11-7 / 291-001-7	2 - 6	Xi / R36	Not established	Not established	Not established	Copper and its compounds Inhalable fraction 1.0 mg/m <sup>3</sup>
Isopropyl alcohol	67-63-0 / 200-661-7	1 - 3	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m <sup>3</sup>	TWA = 200 ppm, 492 mg/m <sup>3</sup> STEL = 400 ppm, 984 mg/m <sup>3</sup>	Not established	200 ppm, 500 mg/m <sup>3</sup>
Quinoline derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36	Not established	Not established	Not established	Not established
Triazine derivative (Contained only in magenta ink)	Confidential	1 - 3	Xi / R36 R52/53	Not established	Not established	Not established	Not established
Ammonia derivative	Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
Water	7732-18-5 / 231-79-12	60 - 80	None / None	Not established	Not established	Not established	Not established

Date of Issue: Revised: June 20, 2000 July 22, 2003

Page 2 of 8



### MATERIAL SAFETY DATA SHEET

MSDS #: IC1167-0202 Product Code: 4609A / F45-2051

### < Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

#### SECTION 3 HAZARDS IDENTIFICATION

#### **EU Classification:**

Not classified as dangerous.

#### **Emergency Overview:**

A set of three colors ink cartridges. (Cyan, Magenta and Yellow)

All the ink is liquid mixture with slight odor.

### **Potential Health Effects and Symptoms:**

#### **Inhalation:**

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

## **Ingestion:**

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

#### Eye:

May cause minimal irritation. (See SECTION 11)

#### Skin:

May cause mild irritation and no sensitization. (See SECTION 11)

## **Chronic Effects:**

Not identified

## Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

## SECTION 4 FIRST AID MEASURES

## First Aid Measures:

## Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

## **Ingestion:**

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

#### Eve:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

## Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

## **Note to Physicians:**

None

Page 3 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1167-0202 Product Code: 4609A / F45-2051

SECTION 5 FIRE FIG	GHTING MEASURES					
Fire Fighting Measures:						
<b>Extinguishing Media:</b>	Extinguishing Media:					
CO <sub>2</sub> , water, foam or dry chemicals						
Unsuitable Extinguishing	g Media:					
None						
	Special Fire Fighting Procedures:					
None						
<b>Unusual Fire and Explos</b>	ion Hazards:					
None						
Fire and Explosive Propertie	es (See also Section 9):					
<b>Hazardous Combustion</b>	Products:					
CO, CO <sub>2</sub> and NOx						
Other Properties:						
None						
SECTION 6 ACCIDE	NTAL RELEASE MEASURES					
	WITH RELIEF SOURCE					
Personal Precautions:	avias and alashina					
Avoid contact with skin,	eyes and crothing.					
	Environmental Precautions:  Do not release to sewer, surface water or ground water.					
	surface water of ground water.					
Method for Cleaning Up:						
Wipe off with wet cloth of	r paper.					
SECTION 7 HANDLE	ING AND STORAGE					
Handling:						
Use with adequate ventil	ation.					
Avoid contact with skin,	Avoid contact with skin, eyes and clothing.					
In case of contact, wash out the contaminated area immediately.						
Storage:						
	Keep in a cool and dry place. Protect from sunlight.					
Keep away from heat and flame.						
Keep out of the reach of children.						
Specific Uses:						
Ink for Ink Jet Printer.  For more information, please refer to the instruction of this product.						
SECTION 8 EXPOSU	JRE CONTROLS / PERSONAL PROTECTION					
<b>Exposure Guidelines:</b>						
Not established for this ink. (See also SECTION 2)						
<b>Engineering Controls:</b>						
Use adequate ventilation	L.					
Personal Protection Equipm						
Respiratory Protection:						
	☑ Not Required					
<b>Eye/Face Protection:</b>	Required					
a	Not Required					
Skin Protection:	Required					
	☑ Not Required					

Page 4 of 8



# MATERIAL SAFETY DATA SHEET

MSDS #: IC1167-0202 Product Code: 4609A / F45-2051

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES				
Appearance:	Cyan, magenta and yellow liquid			
Odor:	Slight odor			
pH:	8.1 - 10.4			
<b>Boiling Point/Range(°C):</b>	Not available			
Melting Point/Range(°C):	Not available			
Decomposition Temperature ( ${}^{\circ}C$ ):	Not available			
Flash Point(°C):	Estimate: 55 -57 (Tag Closed Cup. Combustion is not sustainable.)			
Flammable (Explosive) Limits:	Not available			
Autoignition Temperature ( $^{\circ}$ C):	Not available			
Flammability:	Classified as "Combustible liquid" under OSHA-HCS.  Not classified as "flammable" or "combustible" under FHSA.  Not classified as "flammable" under 1999/45/EC.			
<b>Explosive Properties:</b>	None			
Oxidizing Properties:	None			
Vapor Pressure :	Not available			
Vapor Density :	Not available			
Density / Specific Gravity: 1.04 - 1.10				
Water Solubility :	Miscible			
Fat Solubility :	Not available			
<b>Partition Coefficient (n-Octanol/Water):</b>	Not available			
Percent Volatile (%):	60 - 80			
Evaporation Rate: Not available				
Viscosity (mPa s):	1.9 - 2.6			
SECTION 10 STABILITY AND REA	ACTIVITY			
Stability:				
Conditions to Avoid:	None			
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents			
<b>Hazardous Decomposition Products:</b>	CO, CO <sub>2</sub> , NOx and Ammonia			
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur			
Conditions to Avoid:	None			

Page 5 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1167-0202 Product Code: 4609A / F45-2051

SECTION 11 TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

**Inhalation:** 

Not available

**Ingestion:** 

Cyan: Estimated  $LD_{50} > 2500$  mg/kg, 0/6 mortalities at 2000 mg/kg (rat)

Magenta: [Data of similar composition ink] Estimated LD<sub>50</sub> > 2500 mg/kg (rat)

OECD Guidelines No.423 (1996)

96/54/EC Method B1 tris

Yellow: Not available

Eye:

Cyan: Minimal irritant, Maximum Group Mean Score = 6.0, Class 3 (rabbit)

Yellow: Minimal irritant, Maximum Group Mean Score = 4.7, Class 3 (rabbit)

Magenta: [Data of similar composition ink] Minimal irritant (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Skin:

Cyan : Mild irritant, Primary Irritation Index = 1.8 (rabbit)
Yellow : Mild irritant, Primary Irritation Index = 0.2 (rabbit)

Magenta: [Data of similar composition ink] Mild irritant (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Sensitization:

Cyan and Yellow : Non sensitizer, Sensitization rate = 0 % (0/10) (guinea pig)

Magenta: [Data of similar composition ink] Non sensitizer (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

**Mutagenicity:** 

Ames test:

All colors: Negative (test strains: S.typhimurium & E.Coli)

Chromosome aberration test:

Magenta: Negative (test strains: Human peripheral blood lymphocytes)

Cyan and Yellow: Not available

**Reproductive Toxicity:** 

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

# MATERIAL SAFETY DATA SHEET

MSDS #: IC1167-0202 Product Code: 4609A / F45-2051

SECTION 12 E	COLOGICAL INFORMATION			
Mobility:	Not available			
Persistence / Degradability:	Not available			
Bioaccumulation:	Not available			
Ecotoxicity:	Not available			
Other Adverse Effect	Not available			
Method of Disposal:	ISPOSAL CONSIDERATION  e subject to federal, state and local laws.			
SECTION 14 T	RANSPORT INFORMATION			
UN #:	None			
UN Shipping Name:	None			
UN Classification:	None			
UN Packing Group:	None			
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No			
Special Precautions:	None			
SECTION 15 R < EU Information >	EGULATORY INFORMATION			
Information on the La				
Symbol & Indicat R-Phrase:	ion: Not required			
Not required				
S-Phrase: Not required				
Dangerous Comp None	onent(s):			
Special Precaution Not required	ons under 1999/45/EC Annex V:			
Specific Provisions in	Relation to Protection of Man or the Environment:			
76/769/EEC:	Not regulated			
(EC)2037/2000:	Not regulated			
(EC)304/2003:	Not regulated			
Others:	None			

Page 7 of 8



## MATERIAL SAFETY DATA SHEET

MSDS #: IC1167-0202 Product Code: 4609A / F45-2051

### < USA Information >

## Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:

Not required

**Safety Advice:** 

Not required

**Hazardous Component(s):** 

None

### **SARA Title III §313:**

Chemical Name	Weight %
"Ethylene glycol" (107-21-1) (Contained in cyan and magenta ink)	2 - 6
"Copper Compounds" (Contained only in cyan ink)	2 - 6
(as Cu)	(< 0.35)

### California Proposition 65:

Chemical Name	Weight %
None	

#### < Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

## < Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

## SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable. R22 : Harmful if swallowed. R36 : Irritating to eyes.

R67: Vapours may cause drowsiness or dizziness.

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<Revised information from the previous version>

Section 2, 3, 4, 7, 8, 11 and 13





### MATERIAL SAFETY DATA SHEET

MSDS #: IC1167-0202 Product Code: 4609A / F45-2051

#### Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

#### Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists. EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

DFG MAK: MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System.

NOHSC: National Occupational Health and Safety Commission Act 1985.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.