Page 1 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101 Product Code: 0917A / F45-1231

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE

COMPANY/UNDERTAKING

Product Name: Canon BJ Cartridge BC-60

Product Code: 0917A / F45-1231

Manufacturer: Canon Inc.,30-2, Shimomaruko 3-Chome, Ohta-ku, Tokyo, Japan,Ph#03-3758-2111

Supplier: Canon USA Inc., One Canon Park, Melville, NY 11747, USA

Phone #: 1-800-OK-CANON 24Hr. EmergencyCHEMTREC# 1-800-424-9300

SECTION 2 COMPOSITION/INFORMATION ON INGREDIENTS

<	Ingredient	(8)) >
_	mgi cuicii		, -

CAS # / EC #	Weight %	EU Symbol/ R-Phrase	USA OSHA PEL	ACGIH TLV	EU ILV	DFG MAK
56-81-5 / 200-289-5	5 - 10	None / None	(as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³	(as mist) TWA = 10 mg/m ³	Not established	Not established
111-48-8 / 203-874-3	2 - 6	Xi / R36	Not established	Not established	Not established	Not established
111-46-6 / 203-872-2	2 - 6	Xn / R22	Not established	Not established	Not established	10 ppm, 44 mg/m ³
67-63-0 / 200-661-7	2 - 6	F / R11 Xi / R36 R67	TWA = 400 ppm, 980 mg/m ³	TWA = 400 ppm, 983 mg/m ³ STEL = 500 ppm, 1230 mg/m ³	Not established	200 ppm, 500 mg/m ³
Confidential	5 - 10	None / None	Not established	Not established	Not established	Not established
7732-18-5 / 231-79-12	65 - 85	None / None	Not established	Not established	Not established	Not established
	56-81-5 / 200-289-5 111-48-8 / 203-874-3 111-46-6 / 203-872-2 67-63-0 / 200-661-7 Confidential	EC # % 56-81-5 / 200-289-5 5 - 10 111-48-8 / 203-874-3 2 - 6 111-46-6 / 203-872-2 2 - 6 67-63-0 / 200-661-7 2 - 6 Confidential 5 - 10 7732-18-5 / 65 - 85	EC # % R-Phrase 56-81-5 / 200-289-5 5 - 10 None / None 111-48-8 / 203-874-3 2 - 6 Xi / R36 111-46-6 / 203-872-2 2 - 6 Xn / R22 67-63-0 / 200-661-7 2 - 6 F / R11 Xi / R36 R67 Confidential 5 - 10 None / None 7732-18-5 / 65 - 85 None / None	EC # % R-Phrase OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ 111-48-8 / 203-874-3 2 - 6 Xi / R36 Not established 111-46-6 / 203-872-2 2 - 6 Xn / R22 Not established 67-63-0 / 200-661-7 2 - 6 F / R11 Xi / R36 R67 TWA = 400 ppm, 980 mg/m³ Confidential 5 - 10 None / None Not established 7732-18-5 / 65 - 85 None / None Not established	EC # % R-Phrase OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ TWA = 10 mg/m³ 111-48-8 / 203-874-3 2 - 6 Xi / R36 Not established Not established 111-46-6 / 203-872-2 2 - 6 Xn / R22 Not established Not established 67-63-0 / 200-661-7 2 - 6 F / R11 Xi / R36 R67 TWA = 400 ppm, 983 mg/m³ STEL = 500 ppm, 1230 mg/m³ Confidential 5 - 10 None / None Not established Not established 7732-18-5 / 65 - 85 None / None Not established Not established	EC # % R-Phrase OSHA PEL 56-81-5 / 200-289-5 5 - 10 None / None (as mist) Total dust TWA = 15 mg/m³ Respirable fraction TWA = 5 mg/m³ TWA = 10 mg/m³ Not established 111-48-8 / 203-874-3 2 - 6 Xi / R36 Not established Not established Not established 111-46-6 / 203-872-2 2 - 6 Xn / R22 Not established Not established Not established 67-63-0 / 200-661-7 2 - 6 F / R11 Xi R36 R67 TWA = 400 ppm, 980 mg/m³ STEL = 500 ppm, 1230 mg/m³ Not established Confidential 5 - 10 None / None Not established Not established Not established 7732-18-5 / 65 - 85 None / None Not established Not established Not established

Page 2 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101 Product Code: 0917A / F45-1231

< Carcinogen >

No component of this ink is listed as a human carcinogen or a potential carcinogen in IARC Monographs, NTP, OSHA regulations or Annex I to Directive 67/548/EEC.

SECTION 3 HAZARDS IDENTIFICATION

EU Classification:

Not classified as dangerous.

Emergency Overview:

A set of two colors ink cartridges. (Black and Slightly yellow)

All the ink is liquid mixture with slight odor.

Potential Health Effects and Symptoms:

Inhalation:

No adverse effects are expected under intended use.

Over exposure to vapor or mist may cause respiratory tract irritation, cough, dizziness, drowsiness, headache and nausea.

Ingestion:

May cause abdominal pain, diarrhea, dizziness, drowsiness, dullness, headache, nausea and vomiting.

Eve:

May cause minimal irritation. (See SECTION 11)

Skin:

May cause mild irritation and sensitization. (See SECTION 11)

Chronic Effects:

Not identified

Medical Conditions Generally known to be Aggravated by Exposure:

Not identified

SECTION 4 FIRST AID MEASURES

First Aid Measures:

Inhalation:

If symptoms are experienced, move victim to fresh air and obtain medical advice.

Ingestion:

Rinse mouth. Give one or two glasses of water.

If irritation or discomfort occurs, obtain medical advice immediately.

Eye:

Immediately flush with lukewarm, gently flowing water for 5 minutes or until the chemical is removed.

If irritation persists, obtain medical advice immediately.

Skin:

Wash with water and soap or mild detergent.

If irritation persists, obtain medical advice.

Note to Physicians:

None



MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101
Product Code: 0917A / F45-1231

SECTION 5 FIRE FIGHTING MEASURES								
Fire Fighting Measures:								
Extinguishing Media:								
CO ₂ , water, foam or dr	CO ₂ , water, foam or dry chemicals							
Unsuitable Extinguishing Media: None								
Special Fire Fighting Pr None	ocedures:							
Unusual Fire and Explosi None	ion Hazards:							
Fire and Explosive Propertie	es (See also Section 9):							
Hazardous Combustion 1								
CO, CO ₂ , NOx and SO)x							
Other Properties:								
None								
SECTION 6 ACCIDE	NTAL RELEASE MEASURES							
Personal Precautions:								
Avoid contact with skin,	eyes and clothing.							
Environmental Precautions:								
	surface water or ground water.							
Method for Cleaning Up:								
Wipe off with wet cloth o	r paper.							
SECTION 7 HANDLI	NG AND STORAGE							
Handling:								
Use with adequate ventila	ation.							
Avoid contact with skin,	· ·							
In case of contact, wash o	out the contaminated area immediately.							
Storage:								
	Keep in a cool and dry place. Protect from sunlight.							
Keep away from heat and flame. Keep out of the reach of children.								
Specific Uses:	milaren.							
Ink for Ink Jet Printer.								
	ease refer to the instruction of this product.							
	•							
SECTION 8 EXPOSU	IRE CONTROLS / PERSONAL PROTECTION							
Exposure Guidelines: Not established for this in								
-								
Not established for this in	k. (See also SECTION 2)							
Not established for this in Engineering Controls:	k. (See also SECTION 2)							
Not established for this in Engineering Controls: Use adequate ventilation	k. (See also SECTION 2) ent(s): Required							
Not established for this in Engineering Controls: Use adequate ventilation Personal Protection Equipment	k. (See also SECTION 2) ent(s): Required Not Required Required							
Not established for this in Engineering Controls: Use adequate ventilation Personal Protection Equipme Respiratory Protection: Eye/Face Protection:	k. (See also SECTION 2) ent(s): Required Not Required Required Not Required Not Required							
Not established for this in Engineering Controls: Use adequate ventilation Personal Protection Equipme Respiratory Protection:	k. (See also SECTION 2) ent(s): Required Not Required Required							

Page 4 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101
Product Code: 0917A / F45-1231

SECTION 9 PHYSICAL AND CHI	EMICAL PROPERTIES
Appearance:	Black and slightly yellow liquid
Odor:	Slight odor
pH:	Black: 9.5 - 10.5, Slightly yellow: 6.7 - 7.7
Boiling Point/Range(°C):	Not available
Melting Point/Range(°C):	Not available
Decomposition Temperature(°C):	Not available
Flash Point(°C):	Black : Estimate 45 - 50 (Tag Closed Cup. Combustion is not sustainable.) Slightly yellow : None (Tag Closed Cup)
Flammable (Explosive) Limits:	Not available
Autoignition Temperature(°C):	Black : Not available Slightly yellow : 456 (ASTM)
Flammability:	Black: Classified as "Combustible liquid" under OSHA-HCS. Not classified as "flammable" or "combustible" under FHSA. Not classified as "flammable" under 1999/45/EC. Slightly yellow: Neither flammable nor combustible.
Explosive Properties:	None
Oxidizing Properties:	None
Vapor Pressure :	Not available
Vapor Density :	Not available
Density / Specific Gravity:	1.04 - 1.10
Water Solubility :	Miscible
Fat Solubility:	Not available
Partition Coefficient (n-Octanol/Water):	Not available
Percent Volatile (%):	65 - 85
Evaporation Rate:	Not available
Viscosity (mPa s):	1.7 - 2.6
SECTION 10 STABILITY AND RE.	ACTIVITY
Stability:	
Conditions to Avoid:	None
Materials to Avoid:	Acids, bases, oxidizing materials and reducing agents
Hazardous Decomposition Products:	CO, CO ₂ , NOx, Ammonia and SOx
Hazardous Polymerization:	☐ May Occur ☑ Will Not Occur
Conditions to Avoid:	None

Page 5 of 8



MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101 Product Code: 0917A / F45-1231

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Inhalation:

Not available

Ingestion:

Not available

Eye:

Black: Minimal irritant, Maximum Group Mean Score = 4.7, Class 3 (rabbit)

OECD Guidelines No.405 (1987)

92/69/EEC Method B5

Slightly yellow: Not available

Skin:

Black: Mild irritant, Primary Irritation Index = 0.7 (rabbit)

OECD Guidelines No.404 (1992)

92/69/EEC Method B4

Slightly yellow: Not available

Sensitization:

Black: Mild sensitizer, Sensitization rate = 20 % (2/10) (guinea pig)

OECD Guidelines No.406 (1992)

96/54/EC Method B6

Slightly yellow: Not available

Mutagenicity:

Ames test:

All colors: Negative (test strains: S.typhimurium)

Reproductive Toxicity:

Not available

Carcinogenicity:

Not available

Others:

Not available

Page 6 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101 Product Code: 0917A / F45-1231

	ECOLOGICAL INFORMATION
Mobility:	Not available
Persistence / Degradability:	Not available
Bioaccumulation:	Not available
Ecotoxicity:	Not available
Other Adverse Effe	Not available Not available
SECTION 13	DISPOSAL CONSIDERATIONS
Method of Disposal Disposal should	: be subject to federal, state and local laws.
SECTION 14	TRANSPORT INFORMATION
UN #:	None
UN Shipping Name	: None
UN Classification:	None
UN Packing Group:	None
Marine Pollutant:	☐ Yes Chemical name (wt%): ☑ No
Special Precaution	s: None
SECTION 15 < EU Information > Information on the	REGULATORY INFORMATION Label:
Symbol & Indic	ation: Not required
R-Phrase: Not required	
S-Phrase: Not required	
Dangerous Con None	nponent(s):
Special Precaut Not required	tions under 1999/45/EC Annex V:
Specific Provisions i	in Relation to Protection of Man or the Environment:
76/769/EEC:	Not regulated
(EC)2037/2000	Not regulated
(EC)304/2003:	Not regulated
Others:	None

Page 7 of 8

Canon

MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101 Product Code: 0917A / F45-1231

< USA Information >

Information on the Label under FHSA:

Signal Word: Not required

Hazard warning:Not required

Safety Advice:

Not required

Hazardous Component(s):

None

SARA Title III §313:

Chemical Name Weight %

None

California Proposition 65:

Chemical Name Weight %

None

< Canada Information >

WHMIS Controlled Product: Not applicable (Manufactured article)

< Australia Information >

Statement of Hazardous Nature: Not classified as hazardous according to criteria of NOHSC.

SECTION 16 OTHER INFORMATION

<R phrase list>

R11 : Highly flammable. R22 : Harmful if swallowed.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness or dizziness.

<Revised information from the previous version>

Entirely revised.



MATERIAL SAFETY DATA SHEET

MSDS #: IC1201-0101
Product Code: 0917A / F45-1231

Literature References:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 1999/45/EC
- EU Regulation (EC)2037/2000, (EC)304/2003
- Canada Workplace Hazardous Materials Information System
- Australia National Occupational Health and Safety Commission's Approved Criteria for Classifying Hazardous Substances [NOHSC:1008]

Abbreviations:

EU: European Union.

OSHA PEL: PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration (USA). ACGIH TLV: TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

EU ILV: Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC, 2000/39/EC and 2006/15/EC.

DFG MAK: MAK(Maximale Arbeitsplatz-Konzentration) under Deutsche Forschungsgemeinschaft.

TWA: Time Weighted Average. STEL: Short Term Exposure Limit.

IARC: International Agency for Research on Cancer.

NTP: National Toxicology Program (USA).

OSHA HCS: Occupational Safety and Health Act, Hazard Communication Standard (USA).

FHSA: Federal Hazardous Substances Act (USA).

WHMIS: Workplace Hazardous Materials Information System. NOHSC: National Occupational Health and Safety Commission.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.