Date of Issue: December 11, 2000

Canon MATERIAL SAFETY DATA SHEET

Page 1 of 9 1466A TN0442-<u>0105</u>

220110111	IDENTIFICATION (COMPANY/UNDER		CE/PREPARA	ATION AND	OF THE
Product Name:	Canon CLC1000 Starter Magenta				
Product Code:	1466A				
Manufacturer:	Canon Inc.,30-2, Sh	nimomaruko 3-Chom	ne, Ohta-ku, To	okyo 146-850	01, Japan
Supplier:	Canon USA, Inc., C	One Canon Park, Me	lville, NY 117	47, USA	
Phone #:	1-800-OK-CANON 24 Hr. Emergency CHEMTREC # 1-800-424-9300				
MSDS #:	TN0442-0105				
SECTION 2	COMPOSITION/INF	FORMATION ON IN	NGREDIENTS	3	
Hazardous Ingredie	nt(s)				
Chemical Name		CAS#	Weight %	EU Symbol	EU R-Phrase
Ferrite including co	opper and zinc	66402-68-4	90 - 95 None None (AsCu:10-12)		None
Chemical Name		USA OSHA PEI		ACGIH TL	V
Ferrite including c	opper and zinc	Not established		Not establis	hed
Chemical Name		EU ILV		DFG MAK	
Ferrite including c	opper and zinc	Not established		1.0mg/m ³ (As Cu and	

Revised:



Date of Issue: December 11, 2000

Canon MATERIAL SAFETY DATA SHEET

Page 2 of 9 1466A TN0442-0105

SECTION 2 CC	MPOSITION/INFOR	RMATION ON	N INGREDIENTS - Continued
Carcinogen Chemical Name		CAS#	Reference
None			
Other Ingredient(s)			
Chemical/Generic I	Name		Weight %
Polyester resin Pigment			3 - 10 < 1
SECTION 3 H	AZARDS IDENTIFIC	CATION	
Emergency Overview:	Magentaish gray fine	e powder, sligl	ht plastic odor.
Inhalation:	Fects and Symptoms: Exposure to excessive tract.	ve amounts of	dust may cause physical irritation to respiratory
Ingestion:	Practically non-toxic. Ingestion is a minor route of entry for intended use of this product.		
Eye:	May cause transient	slight irritation	n.
Skin:	May cause slight irri	tation.	
Chronic Effects:	_		amounts of dust may cause lung damage. Use of esult in inhalation of excessive amounts of dust
Medical Condition	ons Generally known Not determined.	to be Aggrava	ited by Exposure:
	D		

Revised:

Canon

MATERIAL SAFETY DATA SHEET

Page 3 of 9 1466A TN0442-0105

SECTION 4 F	FIRST AID MEASURES			
First Aid Measures Inhalation:	: If symptoms are experienced, move victim to fresh air and obtain medical advice.			
Ingestion:	Rinse mouth. Drink 1 or 2 glasses of water. If irritation or discomfort occurs, obtain medical advice immediately.			
Eye:	Do not allow victim to rub eye(s). Flush with lukewarm, gently flowing water for 5 minutes or until particle is removed. If irritation persists, obtain medical attention.			
Skin:	Wash with soap and water. If irritation persists, obtain medical advice.			
Note to Physicians:	None			
SECTION 5 F.	IRE FIGHTING MEASURES			
Fire Fighting Measu	res:			
Extinguishing Me	dia: CO ₂ , water, dry chemicals			
Unsuitable Extinguishing Me	None dia:			
Special Fire Fighting Procedur	None res:			
Unusual Fire and Explosion Hazard	Can form explosive dust-air mixtures when finely dispersed in air.			
Fire and Explosive F Flash Point(°C):	Properties: Not applicable			
Flammable(Explo				
Autoignition Not available Temperature(°C):				
Flammability:	Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability (Solids))			

Revised:

Date of Issue: December 11, 2000



Page 4 of 9 1466A TN0442-<u>0105</u>

SECTION 5 FIRE FIGHTING MEASURES - Continued				
Fire and Explosive Pro	operties - Continued:			
Autoflammability:	Not applicable			
Explosive Properties				
Oxidizing Properties				
Hazardous	CO ₂ , CO			
Combustion Product	ts:			
Other Properties:	Not available			
SECTION 6 ACC	IDENTAL RELEASE MEASURES			
Personal Precautions:	Avoid breathing dust.			
Environmental	Do not wash away into sewer.			
Precautions:	Do not wash away into sewer.			
Mathad for Classing	Sweep slowly spilled powder on to paper, and carefully transfer into a waste			
Method for Cleaning Up:	container. Clean remainder with wet paper, wet cloth or a vacuum cleaner.			
-	If a vacuum cleaner is used, it must rate as a dust explosion-proof type. Fine			
	powder can form explosive dust-air mixtures.			
SECTION 7 HAN	TDLING AND STORAGE			
Handling:	Avoid breathing dust.			
	Use with adequate ventilation.			
Storage:	Keep away from oxidizing materials.			

Date of Issue: December 11, 2000

Revised:

Canon

MATERIAL SAFETY DATA SHEET

Page 5 of 9 1466A TN0442-0105

SECTION 8 EXPO	OSURE C	ONTROLS	S / PERSONAL PROTECTION	
Exposure Guidelines:	USA OSH	A(TWA/PEL	L):15mg/m3 (Total dust)	
	ACGIH(TV	WA/TLV):	5mg/m3 (Respirable fraction) 10mg/m3 (Inhalable particulate)	
			3mg/m3 (Respirable particulate)	
	DFG (MAI	X):	4 mg/m3 (Inhalable fraction) 1.5 mg/m3 (Respirable fraction) (Also refer to SECTION 2)	
Engineering Controls:	Use adea	uate ventil		
Engineering Controls.				
Personal Protection Eq	uuinment(s).		
Respiratory			ot Required	
Protection:	☐ Required Not Required			
Eye/Face	Requi	red 🛛 No	ot Required	
Protection:				
Skin Protection:	Requi	red 🛛 No	ot Required	
SECTION 9 PHYS	SICAL AN	ID CHEMI	ICAL PROPERTIES	
Appearance:		Magentai	sh gray fine powder	
Odor:		Slight pla	astic odor	
pH:		Not applicable		
Boiling Point/Range(°C		Not applicable		
Melting Point/Range(°			(Softening point)	
Decomposition Temper	rature(°C)			
Flash Point(°C):	\ - • •	Not appli		
Flammable (Explosive)		Not appli		
Autoignition Temperat	ture(°C):	Not avail		
Flammability:		Not-flammable (Test method : Directive 92/69/EEC, A10 Flammability		
A t o fl o o b :1: t		(Solids))	anhla	
Autoflammability:		Not appli	explosive dust-air mixtures when finely dispersed in air.	
Explosive Properties:				
Oxidizing Properties:		Not available		
Vapor Pressure:		Not applicable		
Vapor Density:		Not applicable		
Density / Specific Gravity:		4.0 - 5.0		
Water Solubility:		Negligibl	e	
Fat Solubility:		Partially s	soluble in toluene and xylene.	
Partition Coefficient (n-Octanol/Water):		Not applicable		
Percent Volatile:		Negligible		
Evaporation Rate:		Not appli	cable	
Date of Issue: I	December	11, 2000	Revised:	



Page 6 of 9 1466A TN0442-<u>0105</u>

SECTION 10 STABILITY AND REACTIVITY				
Stability:		Stable		
Conditions to Avoid	l:	None		
Materials to Avoid:		Strong oxidizers		
Hazardous Decompo Products:	osition	CO, CO ₂		
Hazardous Polymeri Conditions to Avo		☐ May Occur ☑ Will Not Occur None		
SECTION 11 TO	XICOLO	OGICAL INFORMATION		
Acute Toxicity: Inhalation:	Not av	ailable		
Ingestion:	Estimate: Rat, LD50 > 5000 mg/kg			
Eye:	Estimate : Rabbit, transient slight conjunctival irritation only.			
Skin:	Estimate : Rabbit, mild irritant.			
Sensitization:	Not av	ailable.		
Mutagenicity:	Estimate : Ames Test (Salmonella typhimurium) : Negative			
Reproductive Toxicity:	Not available.			
Date of Issue:	Decem	per 11, 2000 Revised:		

Page 7 of 9 1466A TN0442-0105

SECTION 11 TO	OXICOLOGICAL INFORMATION - Continued
Carcinogenicity:	Not available
Others:	Chronic effects: Muhle et al. reported pulmonary response upon chronic inhalation exposure in rats to a toner enriched in respirable-sized particles compared to commercial toner. No pulmonary change was found at 1 mg/m3 which is most relevant to potential human exposure. A minimal to mild degree of fibrosis was noted in 22% of the animals at 4 mg/m3, and a mild to moderate degree of fibrosis was observed in 92% of the animals at 16 mg/m3. These findings are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lung for a prolonged interval.
SECTION 12 EC	COLOGICAL INFORMATION
Mobility:	Not available.
Persistence / Degradability:	Not available.
Bioaccumulation:	Not available.
Ecotoxicity:	Not available.
Other Adverse Effects:	Not available.
SECTION 13 DI	SPOSAL CONSIDERATION
Method of Disposal	: Disposal should be subject to federal, state or local laws.
SECTION 14 TR	ANSPORT INFORMATION
UN #:	None
UN Shipping Name:	
UN Classification:	None
UN Packing Group:	
Special Precautions:	None
Date of Issue:	December 11, 2000 Revised:



Page 8 of 9 1466A TN0442-<u>0105</u>

SECTION 15 REC	GULATORY INFORMATION		
EU Information: Information on the	Label:		
Symbol &	Not required		
Indication: R-Phrase:	Not required		
S-Phrase:	Not required		
Dangerous Component(s):	None		
Specific Provision	s in Relation to Protection of Man	or the Environmen	nt:
76/769/EEC:	Not regulated		
(EC)2037/2000:	Not regulated		
(EEC)2455/92:	Not regulated		
Others:	None		
USA Information: Information on the L	ahel		
Signal Word:	Not required		
Hazard warning:	Not required		
Safety Advice:	Not required		
Hazardous Component(s):	None		
SARA Title III §313 Chemical Na			Weight %
Ferrite including copper and zinc			95 wt% (Maximum)
Copper and co	ompounds(As Copper metal)		(12 wt%(Maximum))
Zinc and com	pounds(As Zinc metal)		(14 wt% (Maximum))
California Propositi			W/-:-14.0/
<u>Chemical Nai</u> None	me		Weight %
None			
Date of Issue:	December 11, 2000	Revised:	

Canon

MATERIAL SAFETY DATA SHEET

Page 9 of 9 1466A TN0442-0105

SECTION 16	OTHER INFORMATION

Other Information:

None

Literature Reference:

- U.S. Department of Labor, 29CFR Part 1910
- U.S. Environmental Protection Agency, 40CFR Part 372
- U.S. Consumer Product Safety Commission, 16CFR Part 1500
- ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices
- U.S. Department of Health and Human Services National Toxicology Program, Annual Report on Carcinogens
- World Health Organization International Agency for Research on Cancer, IARC Monographs on the Evaluation on the Carcinogenic Risk of Chemicals to Humans
- DFG, List of MAK and BAT Values
- EU Directive 76/769/EEC, 67/548/EEC, 88/379/EEC
- EU Regulation (EC)2037/2000, (EEC)2455/92

Abbreviations:

"EU" stands for European Union.

"OSHA PEL" stands for PEL(Permissible Exposure Limit) under Occupational Safety and Health Administration.

"ACGIH TLV" stands for TLV(Threshold Limit Value) under American Conference of Governmental Industrial Hygienists.

"EU ILV" stands for Indicative Limit Values for Occupational Exposure under EU Directive 91/322/EEC and 2000/39/EC.

"DFG MAK" stands for MAK(Maximale Arbeitsplatzkonzentrationen) under Deutsche Forschungsgemeinschaft.

"TWA" stands for Time Weighted Average.

"IARC" stands for International Agency for Research on Cancer.

"NTP" stands for National Toxicology Program (USA).

"OSHA HCS" stands for Occupational Safety and Health Act, Hazard Communication Standard.

"FHSA" stands for Federal Hazardous Substances Act.

The information, data and recommendations set forth herein (the "Information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the Information and disclaims responsibility for any reliance thereon. The Information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulations. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE WITH RESPECT TO THE INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS.

Date of Issue:	December 11, 2000	
Revised Date:		

Revised:

Date of Issue: December 11, 2000