Voluntary Product Accessibility Template (VPAT)

Name of Product: Canon Bubble Jet Printer iP110

Date: April 22, 2015

Note: This document was prepared based on normal walk-up functionality. It does not include maintenance and troubleshooting procedures. **The information contained in this document is proprietary information and is not for reproduction, publication or manipulation in any way or form.** This template addresses a multitude of Canon Bubble Jet Printer **iP110** features; however, any specific inquiries should be made to the Canon Government Marketing Representative.

The rules below refer to the Electronic and Information Technology Accessibility Standards (covered by Section 508 of the Rehabilitation Act of 1998) issued by the Architectural and Transportation Compliance Board. Comments in the "Supporting Features" column are based on the Information Technology Industry Council's suggested language for use when filling out the Voluntary Product Accessibility Template. The Remarks and Explanations column provides additional information on the evaluation results, and explains the standard functions of the Bubble Jet Printer **iP110** that can accommodate users with disabilities.

Summary Table Voluntary Product Accessibility Template

Criteria	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Supports with exceptions.*	
Section 1194.22 Web-based Internet Information and Applications	Not Applicable	Canon Bubble Jet Printer iP110 is not Web-based Internet Information or Application.
Section 1194.23 Telecommunications Products	Not Applicable	Canon Bubble Jet Printer iP110 is not a telecommunications product.
Section 1194.24 Video and Multi-media Products	Not Applicable	Canon Bubble Jet Printer iP110 is not a Video or Multi-media Product.
Section 1194.25 Self-Contained, Closed Products	Supports with exceptions.*	
Section 1194.31 Functional Performance Criteria	Supports with exceptions.*	
Section 1194.41 Information, Documentation, and Support	Supports with exception.*	

^{*}Please refer to the following pages for detailed information on supporting features and exceptions.

Section 1194.21 Software Applications and Operating Systems

Criteria Section 1194.21 Software Applications and Operating Systems	Supporting	Remarks and
	Features	explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports through Equivalent Facilitation	Some Preview items of the printer driver are not executable on user interface,but executable with Equivalent Facilitation
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports.	
(c) A well defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supports.	
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supports with exceptions.	On the select color screen of the stamp function, focus is placed on the selected color, but the color is not read out. However, the selected color can be identified by the value displayed in another location. On some screens, the text in the same column is read out.
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supports.	

(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports.	
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports.	
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Supports.	
(i) Color-coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports.	The selected color on the printer driver is displayed with an icon. Also, the selected color can be verified by moving the separate color slide bars on the same page.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Not Applicable.	
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Support	
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports with exceptions.	Information regarding the slide bar and its related user interface elements may not be sufficient in some instances.

Section 1194.25 Self-Contained, Closed Products

Criteria	Supporting	Remarks and explanations
	Features	

(a) Self contained products shall be usable by people with	Supports	The printer status is indicated
disabilities without requiring an end-user to attach Assistive	with	only by the Power lamp color
Technology to the product. Personal headsets for private		on the printer. (However,
listening are not Assistive Technology.	exceptions.	when the printer is connected
instelling are not Assistive Technology.		
		to a computer, the printer
		status can be confirmed via
	_	Status Monitor.)
(b) When a timed response is required, the user shall be	Supports	If no action is performed over
alerted and given sufficient time to indicate more time is	with	a given time during ink tank
required.	exceptions.	replacement, the ink tank
		returns to its prescribed
		position. This is to prevent
		the sound of the drive motor
		from rising and is a
		fundamental issue (retry is
		possible by closing and
	1	opening the cover).
(c) Where a product utilizes touch screens or		Refer to details in
contact-sensitive controls, an input method shall be		subsections $k(1)$ through $k(4)$
provided that complies with §1194.23 (k) (1) through (4).		below.
(1194.23 k-1) Products which have mechanically operated	Supports.	
controls or keys, shall comply with the following:	Supports.	
Controls and keys shall be tactilely discernible without		
activating the controls or keys.		
detivating the controls of keys.		
(1194.23 k-2) Controls and keys shall be operable with one	Supports	Ink tank and head attachment
hand and shall not require tight grasping, pinching, or	with	and power cord connection
twisting of the wrist. The force required to activate controls	exceptions.	require grasping, pinching, or
and keys shall be 5 lbs. (22.2 N) maximum.	exceptions.	twisting.
and keys shall be 3 los. (22.2 lv) maximum.		twisting.
(1194.23 k-3) If key repeat is supported, the delay before	Not	
repeat shall be adjustable to at least 2 seconds. Key repeat	Applicable.	
rate shall be adjustable to 2 seconds per character.	Аррисавіс.	
rate shall be adjustable to 2 seconds per character.		
(1194.23 k-4) The status of all locking or toggle controls or	Supports	Whather the printer newer is
	Supports	Whether the printer power is
keys shall be visually discernible, and discernible either	with	ON or OFF cannot be
through touch or sound.	exceptions.	confirmed with the Power
		button. There is no
		indication of the setting
(1) W/L = 1	NI	through touch or sound.
(d) When biometric forms of user identification or control	Not	
are used, an alternative form of identification or activation,	Applicable.	
which does not require the user to possess particular		
biological characteristics, shall also be provided.		

(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.	Not Applicable.	
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not Applicable.	
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Support.	The status of power on/off, errors, WiFi function, and so on is indicated by the illumination and blinking of lamps. when the printer is connected to a computer, the printer status can be confirmed via Status Monitor.
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not applicable.	
(i)Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not applicable.	
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	Not applicable.	

(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	Not applicable.	
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	Not applicable.	
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane	Not applicable.	

Section 1194.31 Functional Performance Criteria

Criteria	Supporting Features	Remarks and explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports with exceptions.	The printer status is indicated only by the Power lamp color on the printer. (However, when the printer is connected to a computer, the printer status can be confirmed via Status Monitor.)
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Supports.	

(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.	Supports.	
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports.	
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Supports.	
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Support with exception.	For selection of some functions, repeated pressing of the Resume/Cancel button is required. In such case, the delay before repeat cannot be set to 2 seconds or longer.

Section 1194.41 Information, Documentation, and Support

Criteria	Supporting Features	Remarks and explanations
(a) Product support documentation available to end-users is available in alternate formats upon request, at no additional charge.	Supports	Product support documentation will be provided upon request in electronic format, at no additional charge.
(b) End-users have access to a description of the accessibility and compatibility features of products in alternate formats and alternate methods upon request, at no additional charge.	Supports with Exception	An evaluation of the accessibility features of products will be provided upon request in electronic format, at no additional charge.
c) Support services for products accommodate the communication needs of end-users with disabilities.	Supports	Canon U.S.A., Inc. provides support services accommodating users with disabilities through OKCANON assistance, TTY support at (866) 251-3752. Canon otherwise available to U.S. federal government agencies through Federal Relay.

This document is for informational purposes only. This information is based on Canon's current understanding of 36 CFR Part 1194 Electronic and Information Technology Accessibility Standard and Section 508 of the Rehabilitation Act. It is not intended to address applicability of these laws to a particular end-user, customer,

application or procurement.

All product design and specifications are subject to change. Some of the information may be based upon data collected or tests conducted on similar product modules.

The information in this Voluntary Product Accessibility Template (VPAT) should not be considered a contractual agreement by Canon. FURTHER, THE INFORMATION AND MATERIALS PROVIDED IN THIS VPAT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY.

Canon does not warrant the accuracy and completeness of the information or materials in this VPAT. Canon may make changes to the information in this VPAT, or to the products described in this VPAT at any time, without notice.