

## Canon Accessibility Conformance Report

**Name of Product:** DR-S250N

**Product Description:** Desktop type sheet-fed scanner

**Date:** October 13, 2023

**Contact information:** accessibility@cusa.canon.com

**Notes:**



**Evaluation Methods Used:** Inspection, measurement and testing are based on product knowledge and testing with consistent evaluation methods through our products. Softwares are tested with JAWS.

**Applicable Standards / Guidelines & Table of contents :**

This report covers the degree of conformance for the following accessibility standard/guideline:

**US Section 508 standards (2017) with corrections (2018)**

**EN 301 549 V3.1.1 (2019)**

**WCAG 2.1 (2018)**

**ISO/IEC 10779:2020**

**The composition of evaluated product:**

**Hardware Device**

**Driver:** Scanner Driver

**Web Application:** Web Menu

**Other Applications:** CaptureOnTouch V5, Canon imageFORMULA Driver Setting Tool Documents

**Terms:** The terms used in the Conformance Level information are defined as follows:

**Supports:** The functionality of the product has at least one method that meets the criteria without known defects or meets with equivalent facilitation.

**Partially Supports:** Some functionality of the product does not meet the criteria.

**Supports through Equivalent Facilitation:** Some functionality of the product meet the intent of the Criteria through alternate way.

**Supports when combined with Compatible AT:** Some functionality of the product meet the criteria using assistive technology which is not a part of the product itself.

**Does Not Support:** Majority of functionality of the product does not meet the criteria.

**Not Applicable:** The criteria are not relevant to the product. In the WCAG section, use 'supports' instead of 'not applicable' when reporting web conformance.

**Not Applicable – Fundamental Alteration Exception Applies:** The criteria are relevant to the product, but fundamentally impossible to meet the criteria, because of its conditions.

## US Section 508 Standards

### Chapter 3: Functional Performance Criteria

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision. Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that does not require user vision.	Partially Supports	<p><b>HARDWARE:</b> Some functions are provided by Web Menu on PC, which can be read out by screen reader.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards, and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Some information not be read or not be read in the correct information or reading sequence. Some functions cannot be operated using the keyboard. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation. Help of the scanner driver cannot focus on some functions.</p>
302.2 With Limited Vision. Where a visual mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited vision.	Partially Supports	<p><b>HARDWARE:</b> The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. This product supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons. When using reflow, some graphic objects are not laid out correctly. CaptureOnTouch runs on systems with keyboards and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Some information not be read or not be read in the correct information or reading sequence. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" button. Some contents do not meet the requirements of Resize text. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DOCUMENTS:</b> Some information not be read or not be read in the correct information or reading sequence. When using reflow, some graphic objects are not laid out correctly. Help of the scanner driver cannot focus on some functions.</p>
302.3 Without Perception of Color. Where a visual mode of operation is provided, ICT shall provide at least one visual mode of operation that does not require user perception of color.	Partially Supports	<p><b>HARDWARE:</b> Supports.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. This product supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" and button.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation.</p>
302.4 Without Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that does not require user hearing.	Partially Supports	<p><b>HARDWARE:</b> Supports.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation.</p>
302.5 With Limited Hearing. Where an audible mode of operation is provided, ICT shall provide at least one mode of operation that enables users to make use of limited hearing.	Partially Supports	<p><b>HARDWARE:</b> Supports.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation. Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>

302.6 Without Speech. Where speech is used for input, control, or operation, ICT shall provide at least one mode of operation that does not require user speech.	Partially Supports	<p>HARDWARE: Not applicable.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Supports.</p> <p>Web Menu: Some information not be read or not be read in the correct information or reading sequence. Some functions cannot be operated using the keyboard. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DOCUMENTS: Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>
302.7 With Limited Manipulation. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that does not require fine motor control or simultaneous manual operations.	Partially Supports	<p>HARDWARE: The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read. Some functions cannot be operated using the keyboard. Focusable components in some functions may impair meaning and operability. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DOCUMENTS: Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>
302.8 With Limited Reach and Strength. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.	Partially Supports	<p>HARDWARE: The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Not applicable.</p> <p>CaptureOnTouch V5: Not applicable.</p> <p>DriverSettingTool: Not applicable.</p> <p>Web Menu: Not applicable.</p> <p>DOCUMENTS: Supports.</p>
302.8 With Limited Reach and Strength. Where a manual mode of operation is provided, ICT shall provide at least one mode of operation that is operable with limited reach and limited strength.	Partially Supports	<p>HARDWARE: The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Not applicable.</p> <p>CaptureOnTouch V5: Not applicable.</p> <p>DriverSettingTool: Not applicable.</p> <p>Web Menu: Not applicable.</p> <p>DOCUMENTS: Supports.</p>
302.9 With Limited Language, Cognitive, and Learning Abilities. ICT shall provide features making its use by individuals with limited cognitive, language, and learning abilities simpler and easier.	Partially Supports	<p>HARDWARE: The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. This software supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons. CaptureOnTouch runs on systems with keyboards, and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Some information not be read or not be read in the correct information or reading sequence. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" and button. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DOCUMENTS: Some of the non-text content items (icons) have no text explanation. Some information not be read or not be read in the correct information or reading sequence. When using reflow, some graphic objects are not laid out correctly. Help of the scanner driver cannot focus on some functions.</p>

## Chapter 4: Hardware

Criteria	Conformance Level	Remarks and Explanations
402.1 General. (Closed Functionality ) ICT with closed functionality shall be operable without requiring the user to attach or install assistive technology other than personal headsets or other audio couplers, and shall conform to 402.		No response required according to ITI VPAT, as advised on the original VPAT of ITI.
402.2.1 Information Displayed On-Screen. Speech output shall be provided for all information displayed on-screen.	Supports through Equivalent Facilitation	Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, which can be read out by screen reader.
402.2.2 Transactional Outputs. Where transactional outputs are provided, the speech output shall audibly provide all information necessary to verify a transaction.	Not applicable	Transactional output is not provided.
402.2.3 Speech Delivery Type and Coordination. Speech output shall be delivered through a mechanism that is readily available to all users, including, but not limited to, an industry standard connector or a telephone handset. Speech shall be recorded or digitized human, or synthesized. Speech output shall be coordinated with information displayed on the screen.	Not applicable	Speech output is not provided by the product itself.
402.2.4 User Control. Speech output for any single function shall be automatically interrupted when a transaction is selected. Speech output shall be capable of being repeated and paused.	Not applicable	Speech output is not provided by the product itself.
402.2.5 Braille Instructions. Where speech output is required by 402.2, braille instructions for initiating the speech mode of operation shall be provided. Braille shall be contracted and shall conform to 36 CFR part 1191, Appendix D, Section 703.3.1.	Not applicable	Speech output is not provided by the product itself.
402.3.1 Private Listening. Where ICT provides private listening, it shall provide a mode of operation for controlling the volume. Where ICT delivers output by an audio transducer typically held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not applicable	Speech output is not provided by the product itself.
402.3.2 Non-private Listening. Where ICT provides non-private listening, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. A function shall be provided to automatically reset the volume to the default level after every use.	Not applicable	Speech output is not provided by the product itself.
402.4 Characters on Display Screens. At least one mode of characters displayed on the screen shall be in a sans serif font. Where ICT does not provide a screen enlargement feature, characters shall be 3/16 inch (4.8 mm) high minimum based on the uppercase letter "I". Characters shall contrast with their background with either light characters on a dark background or dark characters on a light background.	Supports through Equivalent Facilitation	The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader
402.5 Characters on Variable Message Signs. Characters on variable message signs shall conform to section 703.7 Variable Message Signs of ICC A117.1:2009.	Not applicable	Variable message sign is not provided.
403.1 Biometrics Where provided, biometrics shall not be the only means for user identification or control.	Not applicable	Biometric forms of user identification are not used.
404.1 Preservation of Information Provided for Accessibility ICT that transmits or converts information or communication shall not remove non-proprietary information provided for accessibility or shall restore it upon delivery.	Not applicable	Functionality that transmits and converts information or communication is not provided.
405.1 Privacy. The same degree of privacy of input and output shall be provided to all individuals. When speech output required by 402.2 is enabled, the screen shall not blank automatically.	Not applicable	Speech output is not provided by the product itself.
406.1 Standard Connections Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary formats.	Supports	This product provides connections that conform industry standards.
407.2 Contrast. Where provided, keys and controls shall contrast visually from background surfaces. Characters and symbols shall contrast visually from background surfaces with either light characters or symbols on a dark background or dark characters or symbols on a light background.	Supports	There are considerable contrasts between characters and symbols to the background, so that the keys are recognizable. The controls contrast to the background.
407.3.1 Tactilely Discernible. Input controls shall be operable by touch and tactilely discernible without activation.	Supports	All hard keys are tactilely discernible.
407.3.2 Alphabetic Keys. Where provided, individual alphabetic keys shall be arranged in a QWERTY-based keyboard layout and the "F" and "J" keys shall be tactilely distinct from the other keys.	Not applicable	Alphabetic keys are not provided.

407.3.3 Numeric Keys. Where provided, numeric keys shall be arranged in a 12-key ascending or descending keypad layout. The number five key shall be tactilely distinct from the other keys. Where the ICT provides an alphabetic overlay on numeric keys, the relationships between letters and digits shall conform to ITU-T Recommendation E.161	Not applicable	Numeric keys are not provided.
407.4 Key Repeat. Where a keyboard with key repeat is provided, the delay before the key repeat feature is activated shall be fixed at, or adjustable to, 2 seconds minimum.	Supports	The delay before the key repeat feature is fixed at 2 seconds.
407.5 Timed Response. Where a timed response is required, the user shall be alerted visually, as well as by touch or sound, and shall be given the opportunity to indicate that more time is needed.	Not applicable	Timed response is not provided.
407.6 Operation. (General) At least one mode of operation shall be operable with one hand and shall not require tight grasping, pinching, or twisting of the wrist. The force required to activate operable parts shall be 5 pounds (22.2 N) maximum.	Partially Supports	The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.
407.7 Tickets, Fare Cards, and Keycards. Where tickets, fare cards, or keycards are provided, they shall have an orientation that is tactilely discernible if orientation is important to further use of the ticket, fare card, or keycard.	Not applicable	This product does not require use of card.
407.8.1 Vertical Reference Plane. Operable parts shall be positioned for a side reach or a forward reach determined with respect to a vertical reference plane. The vertical reference plane shall be located in conformance to 407.8.2 or 407.8.3.	Not applicable	Device is intended for tabletop.
407.8.1.1 Vertical Plane for Side Reach. Where a side reach is provided, the vertical reference plane shall be 48 inches (1220 mm) long minimum.	Not applicable	Device is intended for tabletop.
407.8.1.2 Vertical Plane for Forward Reach. Where a forward reach is provided, the vertical reference plane shall be 30 inches (760 mm) long minimum.	Not applicable	Device is intended for tabletop.
407.8.2 Side Reach. Operable parts of ICT providing a side reach shall conform to 407.8.2.1 or 407.8.2.2. The vertical reference plane shall be centered on the operable part and placed at the leading edge of the maximum protrusion of the ICT within the length of the vertical reference plane. Where a side reach requires a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.	Not applicable	Device is intended for tabletop.
407.8.2.1 Unobstructed Side Reach. Where the operable part is located 10 inches (255 mm) or less beyond the vertical reference plane, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.	Not applicable	Device is intended for tabletop.
407.8.2.2 Obstructed side reach Where the operable part is located more than 10 inches (255 mm), but not more than 24 inches (610 mm), beyond the vertical reference plane, the height of the operable part shall be 46 inches (1170 mm) high maximum and 15 inches (380 mm) high minimum above the floor. The operable part shall not be located more than 24 inches (610 mm) beyond the vertical reference plane.	Not applicable	Device is intended for tabletop.
407.8.3 Forward Reach. Operable parts of ICT providing a forward reach shall conform to 407.8.3.1 or 407.8.3.2. The vertical reference plane shall be centered, and intersect with, the operable part. Where a forward reach allows a reach over a portion of the ICT, the height of that portion of the ICT shall be 34 inches (865 mm) maximum.	Not applicable	Device is intended for tabletop.
407.8.3.1 Unobstructed forward reach Where the operable part is located at the leading edge of the maximum protrusion within the length of the vertical reference plane of the ICT, the operable part shall be 48 inches (1220 mm) high maximum and 15 inches (380 mm) high minimum above the floor.	Not applicable	Device is intended for tabletop.
407.8.3.2 Obstructed Forward Reach. Where the operable part is located beyond the leading edge of the maximum protrusion within the length of the vertical reference plane, the operable part shall conform to 407.12.3.2. The maximum allowable forward reach to an operable part shall be 25 inches (635 mm).	Not applicable	Device is intended for tabletop.
407.8.3.2.1 Height. Where the operable part is located less than 20 inches (510 mm) beyond the vertical reference plane, the operable part shall be 48 inches (1220 mm) high maximum. Where the operable part is located 20 inches (510 mm) to 25 inches (635 mm) beyond the vertical reference plane, the operable part shall be 44 inches (1120 mm) high maximum.	Not applicable	Device is intended for tabletop.
407.8.3.2.2 Knee and Toe Space. Knee and toe space under ICT shall be 27 inches (685 mm) high minimum, 25 inches (635 mm) deep maximum, and 30 inches (760 mm) wide minimum and shall be clear of obstructions.	Not applicable	Device is intended for tabletop.

408.2 Display Screens (General) Where stationary ICT provides one or more display screens, at least one of each type of display screen shall be visible from a point located 40 inches (1015 mm) above the floor space where the display screen is viewed.	Not applicable	Device is intended for tabletop.
408.3 General. (Flashing) Where ICT emits lights in flashes, there shall be no more than three flashes in any one-second period.	Supports	No flashing which may affect users.
409.1 Status Indicators. Status indicators, including all locking or toggle controls or keys (e.g., Caps Lock and Num Lock keys), shall be discernible visually and by touch or sound.	Supports	
410.1 Color Coding. Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	All information conveyed using color is also conveyed using text and icons.
411.1 Audible Signals. Where provided, audible signals or cues shall not be used as the only means of conveying information, indicating an action, or prompting a response.	Supports	All notification sounds played during operation of the device are accompanied by visual UI elements.

## Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope. The requirements of Chapter 5 shall apply to software where required by 508 Chapter 2.  (E207.2 WCAG Conformance. User interface components, as well as the content of platforms and applications, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG 2.0)	See WCAG section.	See WCAG section.
502.2.1 User Control of Accessibility Features. Platforms shall provide user control over platform features that are defined in the platform documentation as accessibility features.	SCANNER DRIVER: Not applicable CaptureOnTouch V5: Not applicable DriverSettingTool: Not applicable	SCANNER DRIVER: The driver is not a platform. CaptureOnTouch V5: CaptureOnTouch is not a platform. DriverSettingTool: DriverSettingTool is not a platform.
502.2.2 No Disruption of Accessibility Features. Software shall not disrupt platform features that are defined in the platform documentation as accessibility features.	SCANNER DRIVER: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports	SCANNER DRIVER: The driver can be used without disruption of the accessibility features of the platform  CaptureOnTouch V5: CaptureOnTouch can be used without disruption of the accessibility features of the platform.  DriverSettingTool: DriverSettingTool can be used without disruption of the accessibility features of the platform.
502.3.1 Object Information. The object role, state(s), boundary, name, and description shall be programmatically determinable.	SCANNER DRIVER: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports	SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically.  CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.  DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.
502.3.2 Modification of Object Information. States and properties that can be set by the user shall be capable of being set programmatically, including through assistive technology.	SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports	SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.  CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.  DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.

<p>502.3.3 Row, Column, and Headers.</p> <p>If an object is in a table, the occupied rows and columns, and any headers associated with those rows or columns, shall be programmatically determinable.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Partially Supports DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.4 Values.</p> <p>Any current value(s), and any set or range of allowable values associated with an object, shall be programmatically determinable.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.5 Modification of Values.</p> <p>Values that can be set by the user shall be capable of being set programmatically, including through assistive technology.</p>	<p>SCANNER DRIVER: Not applicable CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: There is no values that can be set by the user.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.6 Label Relationships.</p> <p>Any relationship that a component has as a label for another component, or of being labeled by another component, shall be programmatically determinable.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.7 Hierarchical Relationships.</p> <p>Any hierarchical (parent-child) relationship that a component has as a container for, or being contained by, another component shall be programmatically determinable.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.8 Text</p> <p>The content of text objects, text attributes, and the boundary of text rendered to the screen, shall be programmatically determinable.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>

<p>502.3.9 Modification of Text</p> <p>Text that can be set by the user shall be capable of being set programmatically, including through assistive technology.</p>	<p>SCANNER DRIVER: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: Texts that can be set by user are capable to be set programmatically through the program.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.10 List of Actions</p> <p>A list of all actions that can be executed on an object shall be programmatically determinable.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.11 Actions on Objects.</p> <p>Applications shall allow assistive technology to programmatically execute available actions on objects.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.12 Focus Cursor.</p> <p>Applications shall expose information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface components.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.13 Modification of Focus Cursor.</p> <p>Focus, text insertion point, and selection attributes that can be set by the user shall be capable of being set programmatically, including through the use of assistive Technology.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>502.3.14 Event Notification.</p> <p>Notification of events relevant to user interactions, including but not limited to, changes in the component's state(s), value, name, description, or boundary, shall be available to assistive technology.</p>	<p>SCANNER DRIVER: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: When changes of UI components occur, the driver can notify it programmatically.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>



<p>502.4 Platform Accessibility Features.</p> <p>Platforms and platform software shall conform to the requirements in ANSI/HFES 200.2, Human Factors Engineering of Software User Interfaces — Part 2: Accessibility (incorporated by reference in Chapter 1) listed below:</p> <p>Section 9.3.3 Enable sequential entry of multiple (chorded) keystrokes.</p> <p>2. Section 9.3.4 Provide adjustment of delay before key acceptance.</p> <p>3. Section 9.3.5 Provide adjustment of same-key double-strike acceptance.</p> <p>4. Section 10.6.7 Allow users to choose visual alternative for audio output.</p> <p>5. Section 10.6.8 Synchronize audio equivalents for visual events.</p> <p>6. Section 10.6.9 Provide speech output services.</p> <p>7. Section 10.7.1 Display any captions provided.</p>	<p>SCANNER DRIVER: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>SCANNER DRIVER:</p> <p>The product is not a platform.</p> <p>CaptureOnTouch V5:</p> <p>The product is not a platform.</p> <p>DriverSettingTool:</p> <p>The product is not a platform.</p>
<p>503.2 User Preferences.</p> <p>Applications shall permit user preferences from platform settings for color, contrast, font type, font size, and focus cursor.</p>	<p>SCANNER DRIVER: Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Supports</p>	<p>SCANNER DRIVER:</p> <p>The driver can be used without disruption of the accessibility features of the platform.</p> <p>CaptureOnTouch V5:</p> <p>The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool:</p> <p>DriverSettingTool can be used without disruption of the accessibility features of the platform</p>
<p>503.3 Alternative User Interfaces.</p> <p>Where an application provides an alternative user interface that functions as assistive technology, the application shall use platform and other industry standard accessibility services.</p>	<p>SCANNER DRIVER: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>SCANNER DRIVER:</p> <p>It does not provide functionality relating to accessibility.</p> <p>CaptureOnTouch V5:</p> <p>It does not provide functionality relating to accessibility.</p> <p>DriverSettingTool:</p> <p>It does not provide functionality relating to accessibility.</p>
<p>503.4.1 Caption Controls. Where user controls are provided for volume adjustment, ICT shall provide user controls for the selection of captions at the same menu level as the user controls for volume or program selection.</p>	<p>SCANNER DRIVER: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>SCANNER DRIVER:</p> <p>It does not provide any video content with synchronized audio.</p> <p>CaptureOnTouch V5:</p> <p>It does not provide any video content with synchronized audio.</p> <p>DriverSettingTool:</p> <p>It does not provide any video content with synchronized audio.</p>
<p>503.4.2 Audio Description Controls. Where user controls are provided for program selection, ICT shall provide user controls for the selection of audio description at the same menu level as the user controls for volume or program selection.</p>	<p>SCANNER DRIVER: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>SCANNER DRIVER:</p> <p>It does not provide any video content with synchronized audio.</p> <p>CaptureOnTouch V5:</p> <p>It does not provide any video content with synchronized audio.</p> <p>DriverSettingTool:</p> <p>It does not provide any video content with synchronized audio.</p>

## Chapter 6: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
<p>602.2 Accessibility and Compatibility Features.</p> <p>Documentation shall list and explain how to use the accessibility and compatibility features required by Chapters 4 and 5. Documentation shall include accessibility features that are built-in and accessibility features that provide compatibility with assistive technology.</p>	Supports	This VPAT lists and explains the features required by Section 508 Standard Chapters 4 and 5.
<p>602.3 Electronic Support Documentation.</p> <p>Documentation in electronic format, including Web-based self-service support, shall conform to Level A and Level AA Success Criteria and Conformance Requirements in WCAG (incorporated by reference, see 702.10.1).</p>	See WCAG 2.x section	The WCAG is applied to the documentation. See WCAG section for the results.
<p>602.4 Alternate Formats for Non-electronic Support Documentation.</p> <p>Where support documentation is only provided in non-electronic formats, alternate formats usable by individuals with disabilities shall be provided upon request.</p>	Supports	Product support documentation will be provided upon request in electronic format.
<p>603.2 Information on Accessibility and Compatibility Features.</p> <p>ICT support services shall include information on the accessibility and compatibility features required by 602.2.</p>	Supports	Support services will provide information about functions related to accessibility by means according to user's requests.
<p>603.3 Accommodation of Communication Needs.</p> <p>Support services shall be provided directly to the user or through a referral to a point of contact. Such ICT support services shall accommodate the communication needs of individuals with disabilities.</p>	Supports	Canon U.S.A., Inc. provides support services accommodating users with disabilities through OKCANON assistance, TTY support at (866) 251-3752. Canon otherwise available to U.S. federal government agencies through Federal Relay.

**Chapter 4: Functional Performance Statements**

Criteria	Conformance Level	Remarks and Explanations
<b>4.2.1 Usage without vision</b> Where ICT provides visual modes of operation, the ICT provides at least one mode of operation that does not require vision. This is essential for users without vision and benefits many more users in different situations.	Partially Supports	<b>HARDWARE:</b> Some functions are provided by Web Menu on PC, which can be read out by screen reader.  Scanner Driver: Information of some UI objects are not read.  CaptureOnTouch V5: Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards, and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.  DriverSettingTool: Information of some UI objects are not read.  Web Menu: Some information not be read or not be read in the correct information or reading sequence. Some functions cannot be operated using the keyboard. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.  <b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation. Help of the scanner driver cannot focus on some functions.
<b>4.2.2 Usage with limited vision</b> Where ICT provides visual modes of operation, the ICT provides features that enable users to make better use of their limited vision. This is essential for users with limited vision and benefits many more users in different situations.	Partially Supports	<b>HARDWARE:</b> The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader  Scanner Driver: Information of some UI objects are not read.  CaptureOnTouch V5: Information of some UI objects are not read. This product supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons. When using reflow, some graphic objects are not laid out correctly. CaptureOnTouch runs on systems with keyboards and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.  DriverSettingTool: Information of some UI objects are not read.  Web Menu: Some information not be read or not be read in the correct information or reading sequence. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" button. Some contents do not meet the requirements of Resize text. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.  <b>DOCUMENTS:</b> Some information not be read or not be read in the correct information or reading sequence. When using reflow, some graphic objects are not laid out correctly. Help of the scanner driver cannot focus on some functions.
<b>4.2.3 Usage without perception of colour</b> Where ICT provides visual modes of operation, the ICT provides a visual mode of operation that does not require user perception of colour. This is essential for users with limited colour perception and benefits many more users in different situations.	Partially Supports	<b>HARDWARE:</b> Supports.  Scanner Driver: Information of some UI objects are not read.  CaptureOnTouch V5: Information of some UI objects are not read. This product supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons.  DriverSettingTool: Information of some UI objects are not read.  Web Menu: Information of some UI objects are not read. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" and button.  <b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation.
<b>4.2.4 Usage without hearing</b> Where ICT provides auditory modes of operation, the ICT provides at least one mode of operation that does not require hearing. This is essential for users without hearing and benefits many more users in different situations.	Partially Supports	<b>HARDWARE:</b> Supports.  Scanner Driver: Information of some UI objects are not read.  CaptureOnTouch V5: Information of some UI objects are not read.  DriverSettingTool: Information of some UI objects are not read.  Web Menu: Information of some UI objects are not read.  <b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation.

<p>4.2.5 Usage with limited hearing</p> <p>Where ICT provides auditory modes of operation, the ICT provides enhanced audio features. This is essential for users with limited hearing and benefits many more users in different situations.</p>	Partially Supports	<p>HARDWARE: Supports.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read.</p> <p>DOCUMENTS:</p> <p>Some of the non-text content items (icons) have no text explanation. Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>
<p>4.2.6 Usage with no or limited vocal capability</p> <p>Where ICT requires vocal input from users, the ICT provides at least one mode of operation that does not require them to generate vocal output. This is essential users with no or limited vocal capability and benefits many more users in different situations.</p>	Partially Supports	<p>HARDWARE: Not applicable.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5:</p> <p>Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Supports.</p> <p>Web Menu:</p> <p>Some information not be read or not be read in the correct information or reading sequence. Some functions cannot be operated using the keyboard. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DOCUMENTS:</p> <p>Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>
<p>4.2.7 Usage with limited manipulation-or-strength</p> <p>Where ICT requires manual actions, the ICT provides features that enable users to make use of the ICT through alternative actions not requiring manipulation, simultaneous action or hand strength. This is essential for users with limited manipulation or strength and benefits many more users in different situations.</p>	Partially Supports	<p>HARDWARE:</p> <p>The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver:</p> <p>Information of some UI objects are not read.</p> <p>CaptureOnTouch V5:</p> <p>Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool:</p> <p>Information of some UI objects are not read.</p> <p>Web Menu:</p> <p>Information of some UI objects are not read. Some functions cannot be operated using the keyboard. Focusable components in some functions may impair meaning and operability. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DOCUMENTS:</p> <p>Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>
<p>4.2.7 Usage with limited manipulation-or-strength</p> <p>Where ICT requires manual actions, the ICT provides features that enable users to make use of the ICT through alternative actions not requiring manipulation, simultaneous action or hand strength. This is essential for users with limited manipulation or strength and benefits many more users in different situations.</p>	Partially Supports	<p>HARDWARE:</p> <p>The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Not applicable.</p> <p>CaptureOnTouch V5: Not applicable.</p> <p>DriverSettingTool: Not applicable.</p> <p>Web Menu: Not applicable.</p> <p>DOCUMENTS: Supports.</p>
<p>4.2.8 Usage with limited reach</p> <p>Where ICT products are free-standing or installed, all the elements required for operation will need to be within reach of all users. This is essential for users with limited reach and benefits many more users in different situations.</p>	Partially Supports	<p>HARDWARE:</p> <p>The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Not applicable.</p> <p>CaptureOnTouch V5: Not applicable.</p> <p>DriverSettingTool: Not applicable.</p> <p>Web Menu: Not applicable.</p> <p>DOCUMENTS: Supports.</p>
<p>4.2.9 Minimize photosensitive seizure triggers</p> <p>Where ICT provides visual modes of operation, the ICT provides at least one mode of operation that minimizes the potential for triggering photosensitive seizures. This is essential for users with photosensitive seizure triggers.</p>	Supports	<p>The product does not have any component which may trigger photosensitive seizures.</p>

<p>4.2.10 Usage with limited cognition, language or learning</p> <p>The ICT provides features and/or presentation that makes it simpler and easier to understand, operate and use. This is essential for users with limited cognition, language or learning, and benefits many more users in different situations.</p>	Partially Supports	<p><b>HARDWARE:</b> The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader</p> <p><b>Scanner Driver:</b> Information of some UI objects are not read.</p> <p><b>CaptureOnTouch V5:</b> Information of some UI objects are not read. This software supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons. CaptureOnTouch runs on systems with keyboards, and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DriverSettingTool:</b> Information of some UI objects are not read.</p> <p><b>Web Menu:</b> Some information not be read or not be read in the correct information or reading sequence. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" and button. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation. Some information not be read or not be read in the correct information or reading sequence. When using reflow, some graphic objects are not laid out correctly. Help of the scanner driver cannot focus on some functions.</p>
<p>4.2.11 Privacy</p> <p>Where ICT provides features for accessibility, the ICT maintains the privacy of users of these features at the same level as other users.</p>	Partially Supports	<p><b>HARDWARE:</b> Not applicable. <b>Scanner Driver:</b> Supports. <b>CaptureOnTouch V5:</b> Supports. <b>DriverSettingTool:</b> Supports. <b>Web Menu:</b> Supports.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation.</p>

## Chapter 5: Generic Requirements

Criteria	Conformance Level	Remarks and Explanations
<p>5.1.2.2 Assistive technology</p> <p>Where ICT has closed functionality, that closed functionality shall be operable without requiring the user to attach, connect or install assistive technology and shall conform to the generic requirements of clauses 5.1.3 to 5.1.6 as applicable. Personal headsets and personal induction loops shall not be classed as assistive technology for the purpose of this clause.</p>		See information in 5.1.3 through 5.1.6, as advised on the original VPAT of ITI.
<p>5.1.3.1 Audio output of visual information</p> <p>Where visual information is needed to enable the use of those functions of ICT that are closed to assistive technologies for screen reading, ICT shall provide at least one mode of operation using non-visual access to enable the use of those functions.</p>	<p><b>HARDWARE:</b> Supports through Equivalent Facilitation <b>SCANNER DRIVER:</b> Not applicable <b>Web Menu:</b> Not applicable <b>CaptureOnTouch V5:</b> Not applicable <b>DriverSettingTool:</b> Not applicable</p>	<p><b>HARDWARE:</b> Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, which can be read out by screen reader.</p> <p><b>SCANNER DRIVER:</b> This requirement is not applied to the product, which is not closed to AT.</p> <p><b>Web Menu:</b> This requirement is not applied to the product, which is not closed to AT.</p> <p><b>CaptureOnTouch V5:</b> This requirement is not applied to the product, which is not closed to AT.</p> <p><b>DriverSettingTool:</b> This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.2 Auditory output delivery including speech</p> <p>Where auditory output is provided as non-visual access to closed functionality, the auditory output shall be delivered:</p> <p>a) either directly by a mechanism included in or provided with the ICT; b) or by a personal headset that can be connected through a 3,5 mm audio jack, or an industry standard connection, without requiring the use of vision.</p>	<p><b>HARDWARE:</b> Not applicable <b>SCANNER DRIVER:</b> Not applicable <b>Web Menu:</b> Not applicable <b>CaptureOnTouch V5:</b> Not applicable <b>DriverSettingTool:</b> Not applicable</p>	<p><b>HARDWARE:</b> Speech output is not provided by the product itself.</p> <p><b>SCANNER DRIVER:</b> This requirement is not applied to the product, which is not closed to AT.</p> <p><b>Web Menu:</b> This requirement is not applied to the product, which is not closed to AT.</p> <p><b>CaptureOnTouch V5:</b> This requirement is not applied to the product, which is not closed to AT.</p> <p><b>DriverSettingTool:</b> This requirement is not applied to the product, which is not closed to AT.</p>

<p>5.1.3.3 Auditory output correlation</p> <p>Where auditory output is provided as non-visual access to closed functionality, and where information is displayed on the screen, the ICT should provide auditory information that allows the user to correlate the audio with the information displayed on the screen.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.4 Speech output user control</p> <p>Where speech output is provided as non-visual access to closed functionality, the speech output shall be capable of being interrupted and repeated when requested by the user, where permitted by security requirements.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.5 Speech output automatic interruption</p> <p>Where speech output is provided as non-visual access to closed functionality, the ICT shall interrupt current speech output when a user action occurs and when new speech output begins.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.6 Speech output for non-text content</p> <p>Where ICT presents non-text content, the alternative for non-text content shall be presented to users via speech output unless the non-text content is pure decoration or is used only for visual formatting. The speech output for non-text content shall follow the guidance for "text alternative" described in WCAG 2.1 Success Criterion 1.1.1.</p>	<p>HARDWARE: Supports through Equivalent Facilitation</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, which can be read out by screen reader.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.7 Speech output for video information</p> <p>Where pre-recorded video content is needed to enable the use of closed functions of ICT and where speech output is provided as non-visual access to closed functionality, the speech output shall present equivalent information for the pre-recorded video content.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>

<p>5.1.3.8 Masked entry</p> <p>Where auditory output is provided as non-visual access to closed functionality, and the characters displayed are masking characters, the auditory output shall not be a spoken version of the characters entered unless the auditory output is known to be delivered only to a mechanism for private listening, or the user explicitly chooses to allow non-private auditory output.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.9 Private access to personal data</p> <p>Where auditory output is provided as non-visual access to closed functionality, and the output contains data that is considered to be private according to the applicable privacy policy, the corresponding auditory output shall only be delivered through a mechanism for private listening that can be connected without requiring the use of vision, or through any other mechanism explicitly chosen by the user.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.10 Non-interfering audio output</p> <p>Where auditory output is provided as non-visual access to closed functionality, the ICT shall not automatically play, at the same time, any interfering audible output that lasts longer than three seconds.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.11 Private listening</p> <p>Where auditory output is provided as non-visual access to closed functionality and is delivered through a mechanism for private listening, ICT shall provide at least one non-visual mode of operation for controlling the volume.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.12 Speaker volume</p> <p>Where auditory output is provided as non-visual access to closed functionality and is delivered through speakers on ICT, a non-visual incremental volume control shall be provided with output amplification up to a level of at least 65 dBA (-29 dBPa).</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.13 Volume reset</p> <p>Where auditory output is provided as non-visual access to closed functionality, a function that resets the volume to be at a level of 65 dBA or less after every use, shall be provided, unless the ICT is dedicated to a single user.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>

<p>5.1.3.14 Spoken languages</p> <p>Where speech output is provided as non-visual access to closed functionality, speech output shall be in the same human language as the displayed content provided, except:</p> <p>a) for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text;</p> <p>b) where the content is generated externally and not under the control of the ICT vendor, the present clause shall not be required to apply for languages not supported by the ICT's speech synthesizer;</p> <p>c) for displayed languages that cannot be selected using non-visual access;</p> <p>d) where the user explicitly selects a speech language that is different from the language of the displayed content.</p>	<p>HARDWARE: Supports through Equivalent Facilitation</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, which can be read out by screen reader.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.15 Non-visual error identification</p> <p>Where speech output is provided as non-visual access to closed functionality and an input error is automatically detected, speech output shall identify and describe the item that is in error.</p>	<p>HARDWARE: Supports through Equivalent Facilitation</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, which can be read out by screen reader.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.3.16 Receipts, tickets, and transactional outputs</p> <p>Where ICT is closed to visual access and provides receipts, tickets or other outputs as a result of a self-service transaction, speech output shall be provided which shall include all information necessary to complete or verify the transaction. In the case of ticketing machines, printed copies of itineraries and maps shall not be required to be audible.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Transactional output is not provided.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not a self-service equipment, nor a product closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not a self-service equipment, nor a product closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not a self-service equipment, nor a product closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not a self-service equipment, nor a product closed to AT.</p>
<p>5.1.4 Functionality closed to text enlargement</p> <p>Where any functionality of ICT is closed to the text enlargement features of platform or assistive technology, the ICT shall provide a mode of operation where the text and images of text necessary for all functionality is displayed in such a way that a non-accented capital "H" subtends an angle of at least 0,7 degrees at a viewing distance specified by the supplier.</p> <p>The subtended angle, in degrees, may be calculated from:</p> $\Psi = (180 \times H) / (\pi \times D)$ <p>Where:</p> <ul style="list-style-type: none"> <li><math>\Psi</math> is the subtended angle in degrees</li> <li>H is the height of the text</li> <li>D is the viewing distance</li> <li>D and H are expressed in the same units</li> </ul>	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p>	<p>HARDWARE: The height of characters on display is 2mm, and a user can read them from close distance safely without any objection.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.5 Visual output for auditory information</p> <p>Where auditory information is needed to enable the use of closed functions of ICT, the ICT shall provide visual information that is equivalent to the auditory output.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.6.1 Closed functionality</p> <p>Where ICT functionality is closed to keyboards or keyboard interfaces, all functionality shall be operable without vision as required by clause 5.1.3.</p>	<p>HARDWARE: See information in 5.1.3.1 through 5.1.3.16</p> <p>SCANNER DRIVER: See information in 5.1.3, as advised on the original VPAT of ITI.</p> <p>Web Menu: See information in 5.1.3.1 through 5.1.3.16</p> <p>CaptureOnTouch V5: See information in 5.1.3, as advised on the original VPAT of ITI.</p> <p>DriverSettingTool: See information in 5.1.3, as advised on the original VPAT of ITI.</p>	

<p>5.1.6.2 Input focus</p> <p>Where ICT functionality is closed to keyboards or keyboard interfaces and where input focus can be moved to a user interface element, it shall be possible to move the input focus away from that element using the same mechanism, in order to avoid trapping the input focus.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech output is not provided by the product itself.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.1.7 Access without speech</p> <p>Where speech is needed to operate closed functions of ICT, the ICT shall provide at least one mode of operation using an alternative input mechanism that does not require speech.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Speech is not needed to operate device.</p> <p>SCANNER DRIVER: This requirement is not applied to the product, which is not closed to AT.</p> <p>Web Menu: This requirement is not applied to the product, which is not closed to AT.</p> <p>CaptureOnTouch V5: This requirement is not applied to the product, which is not closed to AT.</p> <p>DriverSettingTool: This requirement is not applied to the product, which is not closed to AT.</p>
<p>5.2 Activation of accessibility features</p> <p>Where ICT has documented accessibility features, it shall be possible to activate those documented accessibility features that are required to meet a specific need without relying on a method that does not support that need.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p>	<p>HARDWARE: Accessibility features is not provided.</p> <p>SCANNER DRIVER: The driver can be used without disruption and prevention of activating of the accessibility features of the platform.</p> <p>Web Menu: Web Menu can be used without disruption and prevention of activating of the accessibility features of the platform.</p> <p>CaptureOnTouch V5: CaptureOnTouch can be used without disruption and prevention of activating of the accessibility features of the platform.</p> <p>DriverSettingTool: The DriverSettingTool can be used without disruption and prevention of activating of the accessibility features of the platform.</p>
<p>5.3 Biometrics</p> <p>Where ICT uses biological characteristics, it shall not rely on the use of a particular biological characteristic as the only means of user identification or for control of ICT.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Biometric forms of user identification are not used.</p> <p>SCANNER DRIVER: The driver does not require biometric authentication.</p> <p>Web Menu: Web Menu does not require biometric authentication.</p> <p>CaptureOnTouch V5: CaptureOnTouch does not require biometric authentication.</p> <p>DriverSettingTool: The DriverSettingTool does not require biometric authentication.</p>
<p>5.4 Preservation of accessibility information during conversion</p> <p>Where ICT converts information or communication it shall preserve all documented non-proprietary information that is provided for accessibility, to the extent that such information can be contained in or supported by the destination format.</p>	<p>HARDWARE: Not applicable</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE: Functionality that transmits and converts information or communication is not provided.</p> <p>SCANNER DRIVER: The driver does not have an information conversion function.</p> <p>Web Menu: Web Menu does not have an information conversion function.</p> <p>CaptureOnTouch V5: CaptureOnTouch does not have an information conversion function.</p> <p>DriverSettingTool: The DriverSettingTool does not have an information conversion function.</p>



<p>5.5.1 Means of operation</p> <p>Where ICT has operable parts that require grasping, pinching, or twisting of the wrist to operate, an accessible alternative means of operation that does not require these actions shall be provided.</p>	<p>HARDWARE: Partially Supports</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>HARDWARE:</p> <p>The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>SCANNER DRIVER:</p> <p>This requirement is not applied to the product, which is software.</p> <p>The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu:</p> <p>This requirement is not applied to the product, which is software.</p> <p>The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5:</p> <p>This requirement is not applied to the product, which is software.</p> <p>The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool:</p> <p>This requirement is not applied to the product, which is software.</p>
<p>5.5.2 Operable parts discernibility</p> <p>Where ICT has operable parts, it shall provide a means to discern each operable part, without requiring vision and without performing the action associated with the operable part.</p>	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Partially Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Does not Supports</p>	<p>HARDWARE:</p> <p>All hard keys are tactilely discernable.</p> <p>SCANNER DRIVER:</p> <p>The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects is not read.</p> <p>Web Menu:</p> <p>In case of software, this requirement can be comprehended to meet by operating through keyboards, the focus moving without stuck at specific elements, and he elements not activating just by receiving focus. The product does meet them.</p> <p>CaptureOnTouch V5:</p> <p>The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool:</p> <p>For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>5.6.1 Tactile or auditory status</p> <p>Where ICT has a locking or toggle control and the status of that control is visually presented to the user, the ICT shall provide at least one mode of operation where the status of the control can be determined either through touch or sound without operating the control.</p>	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Partially Supports</p> <p>Web Menu: Does not Support</p> <p>CaptureOnTouch V5: Partially Supports</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER:</p> <p>The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects is not read.</p> <p>Web Menu:</p> <p>The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5:</p> <p>The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool:</p> <p>For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>5.6.2 Visual status</p> <p>Where ICT has a locking or toggle control and the status of the control is non-visually presented to the user, the ICT shall provide at least one mode of operation where the status of the control can be visually determined when the control is presented.</p>	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Partially Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Partially Supports</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER:</p> <p>The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects is not read.</p> <p>Web Menu:</p> <p>The visual status can be determined whichever it is a locking or toggle control.</p> <p>CaptureOnTouch V5:</p> <p>The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool:</p> <p>For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>5.7 Key repeat</p> <p>Where ICT has a key repeat function that cannot be turned off:</p> <p>a) the delay before the key repeat shall be adjustable to at least 2 seconds; and</p> <p>b) the key repeat rate shall be adjustable down to one character per 2 seconds.</p>	<p>HARDWARE: Supports</p> <p>through Equivalent Facilitation</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p>	<p>HARDWARE:</p> <p>Key repeat function is not adjustable. However, some functions are provided by Web Menu on PC, which can be adjusted by key repeat function on PC.</p> <p>SCANNER DRIVER:</p> <p>The driver can be used with the "Filter key function" of the OS function.</p> <p>Web Menu:</p> <p>Web Menu can be used with the "Filter key function" of the OS function.</p> <p>CaptureOnTouch V5:</p> <p>CaptureOnTouch can be used with the "Filter key function" of the OS function.</p> <p>DriverSettingTool:</p> <p>The DriverSettingTool can be used with the "Filter key function" of the OS function.</p>

<p>5.8 Double-strike key acceptance</p> <p>Where ICT has a keyboard or keypad, the delay after any keystroke, during which an additional key-press will not be accepted if it is identical to the previous keystroke, shall be adjustable up to at least 0,5 seconds.</p>	<p>HARDWARE: Supports through Equivalent Facilitation</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p>	<p>HARDWARE: Key repeat function is not adjustable. However, some functions are provided by Web Menu on PC, which can be adjusted by key repeat function on PC.</p> <p>SCANNER DRIVER: The driver can be used with the "Filter key function" of the OS function.</p> <p>Web Menu: Web Menu can be used with the "Filter key function" of the OS function.</p> <p>CaptureOnTouch V5: CaptureOnTouch can be used with the "Filter key function" of the OS function.</p> <p>DriverSettingTool: DriverSettingTool can be used with the "Filter key function" of the OS function.</p>
<p>5.9 Simultaneous user actions</p> <p>Where ICT has a mode of operation requiring simultaneous user actions for its operation, such ICT shall provide at least one mode of operation that does not require simultaneous user actions to operate the ICT.</p>	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Not applicable</p> <p>Web Menu: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Supports</p>	<p>HARDWARE: Simultaneous action is not provide.</p> <p>SCANNER DRIVER: In case of software, this requirement can be met by avoid pressing two or more keys at the same time. The product can be operated by using keyboards, and can be used without disruption of the accessibility features of the platform.</p> <p>Web Menu: In case of software, this requirement can be met by avoid pressing two or more keys at the same time. The product can be operated by using keyboards, and can be used without disruption of the accessibility features of the platform.</p> <p>CaptureOnTouch V5: In case of software, this requirement can be met by avoid pressing two or more keys at the same time. The product can be operated by using keyboards, and can be used without disruption of the accessibility features of the platform.</p> <p>DriverSettingTool: In case of software, this requirement can be met by avoid pressing two or more keys at the same time. The product can be operated by using keyboards, and can be used without disruption of the accessibility features of the platform.</p>

## Chapter 8: Hardware

Criteria	Conformance Level	Remarks and Explanations
<p>8.1.2 Standard connections</p> <p>Where an ICT provides user input or output device connection points, the ICT shall provide at least one input and/or output connection that conforms to an industry standard non-proprietary format, directly or through the use of commercially available adapters.</p>	Supports	This product provides connections that conform industry standards.
<p>8.1.3 Colour</p> <p>Where the ICT has hardware aspects that use colour, colour shall not be used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	Supports	All information conveyed using color is also conveyed using text and icons.
<p>8.3.4.1 Change in level</p> <p>Where stationary ICT has a floor within it, then any change of floor level within it or entering it shall be ramped with a slope no steeper than 1:48.</p>	Not applicable	Device is intended for tabletop.
<p>8.3.4.2 Clear floor or ground space</p> <p>Where stationary ICT has an operating area within it, it shall provide a clear floor area that has the minimum dimensions of 760 mm (30 inches) by 1 220 mm (48 inches) from which to operate the ICT.</p>	Not applicable	Device is intended for tabletop.
<p>8.3.4.3.1 General</p> <p>Where stationary ICT has an access space inside it, at least one full side of the space shall be unobstructed.</p>	Not applicable	Device is intended for tabletop.
<p>8.3.4.3.2 Forward approach</p> <p>Where the operating area is inside an alcove within the stationary ICT, the alcove is deeper than 610 mm (24 inches), and where a forward approach is necessary, the dimension of the access space shall be a minimum of 915 mm (36 inches) wide.</p>	Not applicable	Device is intended for tabletop.
<p>8.3.4.3.3 Parallel approach</p> <p>Where the operating area is inside an alcove within the stationary ICT, the alcove is deeper than 380 mm (15 inches), and where a parallel approach is possible, the dimension of the access space shall be a minimum of 1 525 mm (60 inches) wide.</p>	Not applicable	Device is intended for tabletop.
<p>8.3.2.4 Knee and toe clearance width</p> <p>Where the space under an obstacle that is an integral part of the stationary ICT is part of access space, the clearance shall be at least 760 mm (30 inches) wide.</p>	Not applicable	Device is intended for tabletop.

<p><b>8.3.2.5 Toe clearance</b> Where an obstacle is an integral part of the stationary ICT, a space under the obstacle that is less than 230 mm (9 inches) above the floor is considered toe clearance and shall:</p> <p>a) extend 635 mm (25 inches) maximum under the whole obstacle; b) provide a space at least 430 mm (17 inches) deep and 230 mm (9 inches) above the floor under the obstacle; c) extend no more than 150 mm (6 inches) beyond any obstruction at 230 mm (9 inches) above the floor.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.2.6 Knee clearance</b> Where an obstacle is an integral part of the stationary ICT, the space under the obstacle that is between 230 mm (9 inches) and 685 mm (25 inches) above the floor is considered knee clearance and shall:</p> <p>a) extend no more than 635 mm (25 inches) under the obstacle at a height of 230 mm (9 inches) above the floor; b) extend at least 280 mm (11 inches) under the obstacle at a height of 230 mm (9 inches) above the floor; c) extend at least 205 mm (8 inches) under the obstacle at a height of 685 mm (27 inches) above the floor; d) be permitted to be reduced in depth at a rate of 25 mm (1 inch) for each 150 mm (6 inches) in height.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.2.1 Unobstructed high forward reach</b> Where no part of the stationary ICT obstructs the forward reach, at least one of each type of operable part shall be located no higher than 1 220 mm (48 inches) above the floor of the access space.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.2.2 Unobstructed low forward reach</b> Where no part of the stationary ICT obstructs the forward reach, at least one of each type of operable part shall be located no lower than 380 mm (15 inches) above the floor of the access space.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.2.3.1 Clear space</b> Where an obstruction is an integral part of the stationary ICT and hinders the access to any type of operable part, the ICT shall provide a clear space which extends beneath the obstructing element for a distance not less than the required reach depth over the obstruction.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.2.3.2 Obstructed (&lt; 510 mm) forward reach</b> Where the stationary ICT has an obstruction which is an integral part of the ICT and which is less than 510 mm (20 inches), the forward reach to at least one of each type of operable part shall be no higher than 1 220 mm (48 inches) above the floor contact of the ICT.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.2.3.3 Obstructed (&lt; 635 mm) forward reach</b> Where the stationary ICT has an obstruction which is an integral part of the ICT and which is not less than 510 mm (20 inches) but is less than 635 mm (25 inches) maximum, the forward reach to at least one of each type of operable part shall be no higher than 1 120 mm (44 inches) above the floor contact of the ICT.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.3.1 Unobstructed high side reach</b> Where the side reach is unobstructed or obstructed by an element that is an integral part of the stationary ICT and which is less than 255 mm (10 inches), at least one of each type of operable part shall be within a high side reach which is less than or equal to 1 220 mm (48 inches) above the floor of the access space.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.3.2 Unobstructed low side reach</b> Where the side reach is unobstructed or obstructed by an element that is an integral part of the stationary ICT and which is less than 255 mm (10 inches), at least one of each type of operable part shall be within a low side reach which is greater than or equal to 380 mm (15 inches) above the floor of the access space.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.3.3.1 Obstructed (≤ 255 mm) side reach</b> Where stationary ICT has an obstruction which is an integral part of the ICT, the height of the obstruction shall be less than 865 mm (34 inches). Where the depth of the obstruction is less than or equal to 255 mm (10 inches), the high side reach to at least one of each type of operable part shall be no higher than 1 220 mm (48 inches) above the floor of the access space.</p>	Not applicable	Device is intended for tabletop.
<p><b>8.3.3.3.2 Obstructed (≤ 610 mm) side reach</b> Where stationary ICT has an obstruction which is an integral part of the ICT, the height of the obstruction shall be less than 865 mm (34 inches). Where the depth of the obstruction is greater than 255 mm (10 inches) with a maximum depth of 610 mm (24 inches), the high side reach to at least one of each type of operable part shall be no higher than 1 170 mm (46 inches) above the floor of the access space.</p>	Not applicable	Device is intended for tabletop.

8.3.5 Visibility Where stationary ICT provides one or more display screens , at least one of each type of display screen shall be positioned such that the information on the screen is legible from a point located 1 015 mm (40 inches) above the centre of the floor of the operating area).	Not applicable	Device is intended for tabletop.
8.3.6 Installation instructions Installation instructions shall be made available for all stationary ICT. These instructions shall give guidance on how to install the ICT in a manner that takes into account applicable requirements for accessibility of the built environment as they apply to the installation of the ICT. Where there are no such requirements the instructions should require that the dimensions of the installed ICT conform to clauses 8.3.2 to 8.3.5 of the present document.	Not applicable	Device is not stationary.
8.4.1 Numeric keys Where provided, physical numeric keys arranged in a rectangular keypad layout shall have the number five key tactilely distinct from the other keys of the keypad.	Not applicable	Numeric keys are not provided.
8.4.2.1 Means of Operation of mechanical parts Where a control requires grasping, pinching, or twisting of the wrist to operate it, an accessible alternative means of operation that does not require these actions shall be provided.	Partially Supports	The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.
8.4.2.2 Force of operation of mechanical parts Where a control requires a force greater than 22,2 N to operate it, an accessible alternative means of operation that requires a force less than 22,2 N shall be provided.	Supports	Simultaneous action is not provide.
8.4.3 Keys, tickets and fare cards Where ICT provides keys, tickets or fare cards, and their orientation is important for further use, they shall have an orientation that is tactilely discernible.	Not applicable	This product does not require use of card.
8.5 Tactile indication of speech mode Where ICT is designed for shared use and speech output is available, a tactile indication of the means to initiate the speech mode of operation shall be provided.	Not applicable	Speech output is not provided by the product itself.

## Chapter 9: Web

Criteria	Conformance Level	Remarks and Explanations
9.1.1.1 through 9.4.1.3	See WCAG section.	See WCAG section.

## Chapter 10: Non-web Documents

Criteria	Conformance Level	Remarks and Explanations
10.1.1.1 through 10.4.1.3	See WCAG section.	See WCAG section.
10.5 Caption positioning Where ICT is a non-web document that contains synchronized media with captions, the captions should not obscure relevant information in the synchronized media.	DOCUMENT: Supports	DOCUMENT: Non-web document is not provided.
10.6 Audio description timing Where ICT is a non-web document that contains synchronized media with audio description, the audio description should not interfere with relevant audio information in the synchronized media.	DOCUMENT: Supports	DOCUMENT: Non-web document is not provided.

## Chapter 11: Software

Criteria	Conformance Level	Remarks and Explanations
11.1.1.1 through 11.4.1.3	See WCAG section.	
11.5.2.1 Platform accessibility service support for software that provides a user interface Platform software shall provide a set of documented platform services that enable software that provides a user interface running on the platform software to interoperate with assistive technology. Where a user interface concept corresponding to one of the clauses 11.5.2.5 to 11.5.2.17 is supported within the software environment, the platform software should support that requirement. For example, selection attributes from 11.5.2.14 (Modification of focus and selection attributes) may not exist in environments that do not allow selection, which is most commonly associated with copy and paste.	See information in 11.5.2.5 through 11.5.2.17, as advised on the original VPAT of ITL.	

<p>11.5.2.2 Platform accessibility service support for assistive technologies</p> <p>Platform software shall provide a set of documented platform accessibility services that enable assistive technology to interoperate with software that provides a user interface running on the platform software.</p> <p>Where a user interface concept corresponding to one of the clauses 11.5.2.5 to 11.5.2.17 is supported within the software environment, the platform software should support that requirement. For example, selection attributes from 11.5.2.14 (Modification of focus and selection attributes) may not exist in environments that do not allow selection, which is most commonly associated with copy and paste.</p>	<p>See information in 11.5.2.5 through 11.5.2.17, as advised on the original VPAT of ITL.</p>	
<p>11.5.2.3 Use of accessibility services</p> <p>Where the software provides a user interface it shall use the applicable documented platform accessibility services. If the documented platform accessibility services do not allow the software to meet the applicable requirements of clauses 11.5.2.5 to 11.5.2.17, then software that provides a user interface shall use other documented services to interoperate with assistive technology.</p>	<p>SCANNER DRIVER: Partially Supports</p> <p>CaptureOnTouch V5: Partially Supports</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.4 Assistive technology</p> <p>Where the ICT is assistive technology it shall use the documented platform accessibility services.</p>	<p>SCANNER DRIVER: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>SCANNER DRIVER: The product is not an assistive technology.</p> <p>CaptureOnTouch V5: The product is not an assistive technology.</p> <p>DriverSettingTool: The product is not an assistive technology.</p>
<p>11.5.2.5 Object information</p> <p>Where the software provides a user interface it shall, by using the services as described in clause 11.5.2.3, make the user interface elements' role, state(s), boundary, name, and description programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.6 Row, column, and headers</p> <p>Where the software provides a user interface it shall, by using the services as described in clause 11.5.2.3, make the row and column of each cell in a data table, including headers of the row and column if present, programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports</p> <p>CaptureOnTouch V5: Partially Supports</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.7 Values</p> <p>Where the software provides a user interface, it shall, by using the services as described in clause 11.5.2.3, make the current value of a user interface element and any minimum or maximum values of the range, if the user interface element conveys information about a range of values, programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.8 Label relationships</p> <p>Where the software provides a user interface it shall expose the relationship that a user interface element has as a label for another element, or of being labelled by another element, using the services as described in clause 11.5.2.3, so that this information is programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>

<p>11.5.2.9 Parent-child relationships</p> <p>Where the software provides a user interface it shall, by using the services as described in clause 11.5.2.3, make the relationship between a user interface element and any parent or children elements programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.10 Text</p> <p>Where the software provides a user interface it shall, by using the services as described in clause 11.5.2.3, make the text contents, text attributes, and the boundary of text rendered to the screen programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.11 List of available actions</p> <p>Where the software provides a user interface it shall, by using the services as described in clause 11.5.2.3, make a list of available actions that can be executed on a user interface element, programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.12 Execution of available actions</p> <p>Where permitted by security requirements, software that provides a user interface shall, by using the services as described in clause 11.5.2.3, allow the programmatic execution of the actions exposed according to clause 11.5.2.11 by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.13 Tracking of focus and selection attributes</p> <p>Where software provides a user interface it shall, by using the services as described in clause 11.5.2.3, make information and mechanisms necessary to track focus, text insertion point, and selection attributes of user interface elements programmatically determinable by assistive technologies.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.14 Modification of focus and selection attributes</p> <p>Where permitted by security requirements, software that provides a user interface shall, by using the services as described in clause 11.5.2.3, allow assistive technologies to programmatically modify focus, text insertion point, and selection attributes of user interface elements where the user can modify these items.</p>	<p>SCANNER DRIVER: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.15 Change notification</p> <p>Where software provides a user interface it shall, by using the services as described in clause 11.5.2.3, notify assistive technologies about changes in those programmatically determinable attributes of user interface elements that are referenced in requirements 11.5.2.5 to 11.5.2.11 and 11.5.2.13.</p>	<p>SCANNER DRIVER: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: When changes of UI components occur, the driver can notify it programmatically.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>

<p>11.5.2.16 Modifications of states and properties</p> <p>Where permitted by security requirements, software that provides a user interface shall, by using the services as described in clause 11.5.2.3, allow assistive technologies to programmatically modify states and properties of user interface elements, where the user can modify these items.</p>	<p>SCANNER DRIVER: Partially Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.5.2.17 Modifications of values and text</p> <p>Where permitted by security requirements, software that provides a user interface shall, by using the services as described in clause 11.5.2.3, allow assistive technologies to modify values and text of user interface elements using the input methods of the platform, where a user can modify these items without the use of assistive technology.</p>	<p>SCANNER DRIVER: Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Does not Supports</p>	<p>SCANNER DRIVER: Texts that can be set by user are capable to be set programmatically through the program.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p>
<p>11.6.1 User control of accessibility features</p> <p>Where software is a platform it shall provide sufficient modes of operation for user control over those platform accessibility features documented as intended for users.</p>	<p>SCANNER DRIVER: Not applicable</p> <p>CaptureOnTouch V5: Not applicable</p> <p>DriverSettingTool: Not applicable</p>	<p>SCANNER DRIVER: The driver is not a platform.</p> <p>CaptureOnTouch V5: CaptureOnTouch is not a platform.</p> <p>DriverSettingTool: DriverSettingTool is not a platform.</p>
<p>11.6.2 No disruption of accessibility features</p> <p>Where software provides a user interface it shall not disrupt those documented accessibility features that are defined in platform documentation except when requested to do so by the user during the operation of the software.</p>	<p>SCANNER DRIVER: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p>	<p>SCANNER DRIVER: The driver can be used without disruption of the accessibility features of the platform</p> <p>CaptureOnTouch V5: CaptureOnTouch can be used without disruption of the accessibility features of the platform.</p> <p>DriverSettingTool: DriverSettingTool can be used without disruption of the accessibility features of the platform</p>
<p>11.7 User preferences</p> <p>Where software is not designed to be isolated from its platform, and provides a user interface, that user interface shall follow the values of the user preferences for platform settings for: units of measurement, colour, contrast, font type, font size, and focus cursor except where they are overridden by the user.</p>	<p>SCANNER DRIVER: Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Supports</p>	<p>SCANNER DRIVER: The driver can be used without disruption of the accessibility features of the platform</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: DriverSettingTool can be used without disruption of the accessibility features of the platform.</p>
<p>11.8.2 Accessible content creation</p> <p>Authoring tools shall enable and guide the production of content that conforms to clauses 9 (Web content) or 10 (Non-Web content) as applicable.</p>	<p>Not applicable</p>	<p>This product does not include authoring tools.</p>
<p>11.8.3 Preservation of accessibility information in transformations</p> <p>If the authoring tool provides restructuring transformations or re-coding transformations, then accessibility information shall be preserved in the output if equivalent mechanisms exist in the content technology of the output.</p>	<p>Not applicable</p>	<p>This product does not include authoring tools.</p>
<p>11.8.4 Repair assistance</p> <p>If the accessibility checking functionality of an authoring tool can detect that content does not meet a requirement of clauses 9 (Web) or 10 (Non-web documents) as applicable, then the authoring tool shall provide repair suggestion(s).</p>	<p>Not applicable</p>	<p>This product does not include authoring tools.</p>
<p>11.8.5 Templates</p> <p>When an authoring tool provides templates, at least one template that supports the creation of content that conforms to the requirements of clauses 9 (Web) or 10 (Non-web documents) as applicable shall be available and identified as such.</p>	<p>Not applicable</p>	<p>This product does not include authoring tools.</p>

## Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
12.1.1 Accessibility and compatibility features Product documentation provided with the ICT whether provided separately or integrated within the ICT shall list and explain how to use the accessibility and compatibility features of the ICT.	Supports	This VPAT lists and explains the features required by EN 301 549 requirements
12.1.2 Accessible documentation Product documentation provided with the ICT shall be made available in at least one of the following electronic formats: a) a Web format that conforms to the requirements of clause 9, or b) a non-web format that conforms to the requirements of clause 10.	Partially Supports	The WCAG is applied to the documentation. See WCAG section for the results.
12.2.2 Information on accessibility and compatibility features ICT support services shall provide information on the accessibility and compatibility features that are mentioned in the product documentation.	Supports	Support services will provide information about functions related to accessibility by means according to user's requests.
12.2.3 Effective communication ICT support services shall accommodate the communication needs of individuals with disabilities either directly or through a referral point.	Supports	The sales company provides support services that take into consideration users with disabilities.
12.2.4 Accessible documentation Documentation provided by support services shall be made available in at least one of the following electronic formats: a) a Web format that conforms to clause 9, or b) a non-web format that conforms to clause 10.	Partially Supports	The WCAG is applied to the documentation. See WCAG section for the results.

## WCAG Web Contents Accessibility Guidelines

### WCAG Report (Level A & AA)

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content(A): All non-text content that is presented to the user has a text alternative that serves the equivalent purpose, except for the situations listed below.	HARDWARE: Partially Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Partially Supports	HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, however, some non-text contents cannot be read out by screen reader.  SCANNER DRIVER: There are no the non-text content items in the UI of I of the driver. The case without any target is stated "Supports", as explained in the Terms".  Web Menu: There are no the non-text content items in the UI of I of Web Menu. The case without any target is stated "Supports", as explained in the Terms".  CaptureOnTouch V5: There are no the non-text content items in the UI of I of the CaptureOnTouch. The case without any target is stated "Supports", as explained in the Terms".  DriverSettingTool: There are no the non-text content items in the UI of I of the driver setting tool . The case without any target is stated "Supports", as explained in the Terms".  DOCUMENT: Some of the non-text content items (icons) have no text explanation.
1.2.1 Audio-only and Video-only (Prerecorded)(A): For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: - Prerecorded Audio-only - Prerecorded Video-only	HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports	HARDWARE: No audio-only nor video-only content is used. The case without any target is stated "Supports", as explained in the Terms".  SCANNER DRIVER: Prerecorded audio-only and prerecorded video-only contents are not used. The case without any target is stated "Supports", as explained in the Terms".  Web Menu: Prerecorded audio-only and prerecorded video-only contents are not used. The case without any target is stated "Supports", as explained in the Terms".  CaptureOnTouch V5: Prerecorded audio-only and prerecorded video-only contents are not used. The case without any target is stated "Supports", as explained in the Terms".  DriverSettingTool: Prerecorded audio-only and prerecorded video-only contents are not used. The case without any target is stated "Supports", as explained in the Terms".  DOCUMENT: Prerecorded audio-only and prerecorded video-only contents are not used. The case without any target is stated "Supports", as explained in the Terms".



1.2.2 Captions (Prerecorded)(A): Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p> <p>DOCUMENT: Supports</p>	<p>HARDWARE: No audio content is used. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>SCANNER DRIVER: Prerecorded audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>Web Menu: Prerecorded audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>CaptureOnTouch V5: Prerecorded audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DriverSettingTool: Prerecorded audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DOCUMENT: Prerecorded audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p>
1.2.3 Audio Description or Media Alternative (Prerecorded)(A): An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p> <p>DOCUMENT: Supports</p>	<p>HARDWARE: No video content is used. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>SCANNER DRIVER: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>Web Menu: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>CaptureOnTouch V5: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DriverSettingTool: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DOCUMENT: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p>
1.2.4 Captions (Live)(AA): Captions are provided for all live audio content in synchronized media.	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p> <p>DOCUMENT: Supports</p>	<p>HARDWARE: Live audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>SCANNER DRIVER: Live audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>Web Menu: Live audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>CaptureOnTouch V5: Live audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DriverSettingTool: Live audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DOCUMENT: Live audio content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p>
1.2.5 Audio Description (Prerecorded)(AA): Audio description is provided for all prerecorded video content in synchronized media.	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p> <p>DOCUMENT: Supports</p>	<p>HARDWARE: No video content is used. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>SCANNER DRIVER: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>Web Menu: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>CaptureOnTouch V5: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DriverSettingTool: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DOCUMENT: Prerecorded video content is not included in synchronized media. The case without any target is stated "Supports", as explained in the Terms*.</p>

<p>1.3.1 Info and Relationships(A): Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Partially Supports Web Menu: Partially Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports DOCUMENT: Partially Supports</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, however, some ink levels and some non-text content (icons) are not read or have no information.</p> <p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>Web Menu: The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p> <p>DOCUMENT: The information of some UI objects in the User Manual is not recognized. Help of the scanner driver cannot focus on some functions.</p>
<p>1.3.2 Meaningful Sequence(A): When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Partially Supports Web Menu: Does not Support CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports DOCUMENT: Partially Supports</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, however, some ink levels and some non-text content (icons) are not read or have no information.</p> <p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>Web Menu: The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p> <p>DOCUMENT: When using the User Manual, some contents are not read as correct reading sequence. Therefore it is hard to understand the meaning. Help of the scanner driver cannot focus on some functions.</p>
<p>1.3.3 Sensory Characteristics(A): Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Partially Supports Web Menu: Does not Support CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports DOCUMENT: Partially Supports</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, however, some ink levels and some non-text content (icons) are not read or have no information.</p> <p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>Web Menu: The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read.</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p> <p>DOCUMENT: When using the User Manual, some non-text contents (icons) do not have texts.</p>

<p>1.3.4 Orientation(AA):Content does not restrict its view and operation to a single display orientation, such as portrait or landscape, unless a specific display orientation is essential.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The product is not a mobile equipment, and is to be stationed on a desk or other pedestals to work properly. It is essential that the display orientation is limited to the view angle. As there is no underlying problem to be solved, it is expressed 'Supports'</p> <p>SCANNER DRIVER: Driver does not restrict its view to a single display orientation. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: Web Menu does not restrict its view to a single display orientation. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: CaptureOnTouch does not restrict its view to a single display orientation. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: DriverSettingTool does not restrict its view to a single display orientation. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: It does not restrict its view to a single display orientation.</p>
<p>1.3.5 Identify Input Purpose(AA):The purpose of each input field collecting information about the user can be programmatically determined when: The input field serves a purpose identified in the Input Purposes for User Interface Components section; and The content is implemented using technologies with support for identifying the expected meaning for form input data.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Remote UI on PC, and the purpose of each input field collecting information about the user is obvious.</p> <p>SCANNER DRIVER: Driver does not provide any input field collecting user information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: User The purpose of entering in formation can be interpreted by the program.</p> <p>CaptureOnTouch V5: CaptureOnTouch does not provide any input field collecting user information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: DriverSettingTool does not provide any input field collecting user information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: It does not provide any input field collecting user information. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>1.4.1 Use of Color(A): Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The product has a monochrome display, which do not convey meaning by color.</p> <p>SCANNER DRIVER: Driver does not use of color for the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: Web Menu does not use of color for the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: CaptureOnTouch does not use of color for the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: DriverSettingTool does not use of color for the only means of conveying information.</p> <p>DOCUMENT: Electronic Docs does not use color-coding as the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>1.4.2 Audio Control(A): If any audio on a Web page plays automatically for more than 3 seconds, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The product has no audio content.</p> <p>SCANNER DRIVER: Driver have no audio that plays automatically more than 3 seconds. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: Web Menu have no audio that plays automatically more than 3 seconds. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: CaptureOnTouch have no audio that plays automatically more than 3 seconds. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: DriverSettingTool have no audio that plays automatically more than 3 seconds. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: Audio that plays automatically is not provided. The case without any target is stated "Supports", as explained in the Terms".</p>

<p>1.4.3 Contrast (Minimum)(AA): The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Supports Web Menu: Partially Supports CaptureOnTouch V5: Partially Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The contrast of display is clear enough. Some functions are provided by Remote UI on PC, which can be read out and enlarged by assistive technologies.</p> <p>SCANNER DRIVER: Displayed text meets contrast requirements/standards.</p> <p>Web Menu: This product supports the requirement that the text has a contrast ratio of 4.5:1 or higher, except for the "SCAN" and button.</p> <p>CaptureOnTouch V5: This product supports the requirement that the text has a contrast ratio of 4.5:1 or higher, except for the "SCAN" and "Finish" buttons.</p> <p>DriverSettingTool: Displayed text meets contrast requirements/standards.</p> <p>DOCUMENT: Displayed text meets contrast requirements/standards.</p>
<p>1.4.4 Resize text(AA): Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Supports Web Menu: Does not Support CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The text on display cannot be enlarged. Some functions are provided by Remote UI on PC, which can be read out and enlarged by assistive technologies.</p> <p>SCANNER DRIVER: The UI text in the driver can be resized using functionality provided by the OS without loss of driver functionality, and there is no functionality in the driver that impedes there sizing of text. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: Some contents does not meet the requirements of Resize text.</p> <p>CaptureOnTouch V5: The UI text in the CaptureOnTouch can be resized using functionality provided by the OS without loss of CaptureOnTouch functionality, and there is no functionality in the CaptureOnTouch that impedes there sizing of text. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: The UI text in the driverSettingTool can be resized using functionality provided by the OS without loss of DriverSettingTool functionality, and there is no functionality in the driver that impedes there sizing of text. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: Text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>
<p>1.4.5 Images of Text(AA): If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The visual appearance of text on display cannot be changed. Some functions are provided by Remote UI on PC, which can be read out and enlarged by assistive technologies.</p> <p>SCANNER DRIVER: Driver uses text to convey information and does not have any images of text. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: Web Menu uses text to convey information and does not have any images of text. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: CaptureOnTouch uses text to convey information and does not have any images of text. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: DriverSettingTool uses text to convey information and does not have any images of text. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: Text format, not images of text, is used for the text.</p>

<p>1.4.10 Reflow(AA):Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions for:</p> <ul style="list-style-type: none"> <li>•Vertical scrolling content at a width equivalent to 320 CSS pixels;</li> <li>•Horizontal scrolling content at a height equivalent to 256 CSS pixels.</li> </ul>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Partially Supports</p>	<p>HARDWARE: Scrolling in two directions is not required.</p> <p>SCANNER DRIVER: The Driver's windows are small and static, which basically does not require scrolling. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: Web Menu windows are small and static, which basically does not require scrolling. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: Some graphic objects are not laid out correctly..</p> <p>DriverSettingTool: The DriverSettingTool's windows are small and static, which basically does not require scrolling. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: Content can be presented vertical scrolling at a width equivalent to 320 CSS pixels and adjusted for the screen. However, some graphic objects are not laid out correctly.</p>
<p>1.4.11 Non-text Contrast(AA):The visual presentation of the following have a contrast ratio of at least 3:1 against adjacent color(s):</p> <ul style="list-style-type: none"> <li>•User Interface Components: Visual information required to identify user interface components and states, except for inactive components or where the appearance of the component is determined by the user agent and not modified by the author;</li> <li>•Graphical Objects: Parts of graphics required to understand the content, except when a particular presentation of graphics is essential to the information being conveyed.</li> </ul>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The contrast of display is clear enough. Some functions are provided by Remote UI on PC, which can be read out and enlarge by assistive technologies.</p> <p>SCANNER DRIVER: It does not use the Graphical Objects as the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: It does not use the Graphical Objects as the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: The visual presentation of User Interface Components and Graphical Objects have a contrast ratio of at least 3:1 against adjacent color(s)</p> <p>DriverSettingTool: It does not use the Graphical Objects as the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: It does not use the Graphical Objects as the only means of conveying information. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>1.4.12 Text Spacing(AA):In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property:</p> <p>Line height (line spacing) to at least 1.5 times the font size; Spacing following paragraphs to at least 2 times the font size; Letter spacing (tracking) to at least 0.12 times the font size; Word spacing to at least 0.16 times the font size.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: Markup Language is not used. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: Driver does not use markup languages The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: Web Menu does not use markup languages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: CaptureOnTouch does not use markup languages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: DriverSettingTool does not use markup languages. Therefore, it does not change the following setting: Line height (line spacing); Spacing following paragraphs; Letter spacing (tracking); Word spacing. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: Manual does not use markup languages. Help of the scanner driver does not possible to apply style sheet. Therefore, it does not change the their settings. The case without any target is stated "Supports", as explained in the Terms".</p>

<p>1.4.13 Content on Hover or Focus(AA): Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:  Dismissible: A mechanism is available to dismiss the additional content without moving pointer hover or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content;  Hoverable: If pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing;  Persistent : The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.</p>	<p>HARDWARE: Supports  SCANNER DRIVER: Supports  Web Menu: Supports  CaptureOnTouch V5: Supports  DriverSettingTool: Supports  DOCUMENT: Supports</p>	<p>HARDWARE:  Additional content is not displayed by hover or focus.  The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER:  Driver does not display additional content via pointer or focus.  The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu:  Web Menu does not display additional content via pointer or focus.  The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5:  CaptureOnTouch does not display additional content via pointer or focus.  The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool:  DriverSettingTool does not display additional content via pointer or focus.  The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT:  It has no components that became visible additional content.  The case without any target is stated "Supports", as explained in the Terms".</p>
<p>2.1.1 Keyboard(A): All functionality of the content is operable through a keyboard interface without requiring specific timings for individual keystrokes, except where the underlying function requires input that depends on the path of the user's movement and not just the endpoints.</p>	<p>HARDWARE: Supports  SCANNER DRIVER: Supports  Web Menu: Does not Support  CaptureOnTouch V5: Supports when combined with Compatible AT  DriverSettingTool: Supports  DOCUMENT: Partially Supports</p>	<p>HARDWARE:  The firmware is operable only with physical keys of the product itself (There is no touch panel nor touch key).  Some functions are provided by Web Menu on PC, and operable with the keyboards, but for some function, operation through a keyboard are not provided.</p> <p>SCANNER DRIVER:  The driver runs on systems with keyboards, and all functionality can be operated solely with the keyboard.</p> <p>Web Menu:  The contents of the Web Menu can be manipulated through a keyboard interface. However, some functions cannot be operated using the keyboard.</p> <p>CaptureOnTouch V5:  The CaptureOnTouch runs on systems with keyboards. However, for the reading of the title, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool:  The driverSettingTool runs on systems with keyboards, and all functionality can be operated solely with the keyboard.</p> <p>DOCUMENT:  Help of the scanner driver does not provide keyboard operations for some functions.</p>
<p>2.1.2 No Keyboard Trap(A): If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.</p>	<p>HARDWARE: Supports  SCANNER DRIVER: Supports  Web Menu: Does not Support  CaptureOnTouch V5: Supports when combined with Compatible AT  DriverSettingTool: Supports  DOCUMENT: Partially Supports</p>	<p>HARDWARE:  The elements of user interface can be displayed and selected using the consistent mechanism using the arrow keys, the OK key and the back key. Some functions are provided also by Web Menu on PC, and operable with the keyboards.</p> <p>SCANNER DRIVER:  Focus can be moved away from the component using only a keyboard interface.</p> <p>Web Menu:  Focus moved using the keyboard is independent of any particular component. However, some functions cannot be operated using the keyboard.</p> <p>CaptureOnTouch V5:  The CaptureOnTouch runs on systems with keyboards. However, for the reading of the title, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool:  Focus can be moved away from the component using only a keyboard interface.</p> <p>DOCUMENT:  Help of the scanner driver does not provide keyboard operations for some functions.</p>
<p>2.1.4 Character Key Shortcuts(A):If a keyboard shortcut is implemented in content using only letter (including upper- and lower-case letters), punctuation, number, or symbol characters, then at least one of the following is true:  Turn off: A mechanism is available to turn the shortcut off;  Remap: A mechanism is available to remap the shortcut to use one or more non-printable keyboard characters (e.g. Ctrl, Alt, etc);  Active only on focus: The keyboard shortcut for a user interface component is only active when that component has focus.</p>	<p>HARDWARE: Supports  SCANNER DRIVER: Supports  Web Menu: Supports  CaptureOnTouch V5: Supports  DriverSettingTool: Supports  DOCUMENT: Supports</p>	<p>HARDWARE:  There is no keyboard shortcuts.  The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: General operations meet the requirements.  Web Menu: General operations meet the requirements.  CaptureOnTouch V5: General operations meet the requirements.  DriverSettingTool: General operations meet the requirements.  DOCUMENT: There is no component that implements a keyboard shortcut.</p>

<p>2.2.1 Timing Adjustable(A): For each time limit that is set by the content, at least one of the following is true:</p> <ul style="list-style-type: none"> <li>• Turn off: The user is allowed to turn off the time limit before encountering it; or</li> <li>• Adjust: The user is allowed to adjust the time limit before encountering it over a wide range that is at least ten times the length of the default setting; or</li> <li>• Extend: The user is warned before time expires and given at least 20 seconds to extend the time limit with a simple action (for example, "press the space bar"), and the user is allowed to extend the time limit at least ten times; or</li> <li>• Real-time Exception: The time limit is a required part of a real-time event (for example, an auction), and no alternative to the time limit is possible; or</li> <li>• Essential Exception: The time limit is essential and extending it would invalidate the activity; or</li> <li>• 20 Hour Exception: The time limit is longer than 20 hours.</li> </ul>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: There are no time limits applied. SCANNER DRIVER: There are no time limits applied. Web Menu: There are no time limits applied. CaptureOnTouch V5: There are no time limits applied. DriverSettingTool: There are no time limits applied. DOCUMENT: It has no contents that set time limit.</p>
<p>2.2.2 Pause, Stop, Hide(A): For moving, blinking, scrolling, or auto-updating information, all of the following are true:</p> <ul style="list-style-type: none"> <li>•Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential; and</li> <li>•Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.</li> </ul>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: For the long messages, they keep on move on the display, and there is no mechanism for the user to pause, stop, or hide.</p> <p>SCANNER DRIVER: There are no UI components in the driver that automatically move or update.</p> <p>Web Menu: There are no UI components in the Web Menu that automatically move or update.</p> <p>CaptureOnTouch V5: There are no UI components in the CaptureOnTouch that automatically move or update.</p> <p>DriverSettingTool: There are no UI components in the driver that automatically move or update.</p> <p>DOCUMENT: There are no UI components that automatically move or update.</p>
<p>2.3.1 Three Flashes or Below Threshold(A): Web pages do not contain anything that flashes more than three times in any one second period, or the flash is below the general flash and red flash thresholds.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The display of the product itself does not have flashing. The LED of Power button has no flashing which may affect users.</p> <p>SCANNER DRIVER: There are no UI components in the driver that flash.</p> <p>Web Menu: There are no UI components in the Web Menu that flash.</p> <p>CaptureOnTouch V5: There are no UI components in the CaptureOnTouch that flash.</p> <p>DriverSettingTool: There are no UI components in the driver that flash.</p> <p>DOCUMENT: There are no UI components that flash.</p>
<p>2.4.1 Bypass Blocks(A): A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>SCANNER DRIVER: Driver does not contain a web page. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>Web Menu: Web Menu does not contain a content that are repeated on multiple Web pages. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>CaptureOnTouch V5: CaptureOnTouch does not contain a web page. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DriverSettingTool: DriverSettingTool does not contain a web page. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>DOCUMENT: There are no content that are repeated on multiple Web pages. The case without any target is stated "Supports", as explained in the Terms*.</p>
<p>2.4.2 Page Titled(A): Web pages have titles that describe topic or purpose.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms*.</p> <p>SCANNER DRIVER: Each screen of the driver has a title that indicates the purpose of the screen.</p> <p>Web Menu: Each screen of the Web Menu has a title that indicates the purpose of the screen.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: Each screen of the DriverSettingTool has a title that indicates the purpose of the screen.</p> <p>DOCUMENT: All pages have titles that describe topic.</p>

<p>2.4.3 Focus Order(A): If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Does not Support CaptureOnTouch V5: Supports when combined with Compatible AT DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The focus moves in an order that ensures and maintains the meaning and usability.  SCANNER DRIVER: The order of focus preserves meaning and operability.  Web Menu: Focus order maintains meaning and usability. However, focusable components in some functions may impair meaning and operability.  CaptureOnTouch V5: The order of focus preserves meaning and operability. However, for the reading of the title, the use of assistive technology (e.g. JAWS) is needed.  DriverSettingTool: The order of focus preserves meaning and operability.  DOCUMENT: Focusable components receive focus in an order that preserves meaning and operability.</p>
<p>2.4.4 Link Purpose (In Context)(A): The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where the purpose of the link would be ambiguous to users in general.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: No link is used. The case without any target is stated "Supports", as explained in the Terms".  SCANNER DRIVER: The product does not contain any link. The case without any target is stated "Supports", as explained in the Terms".  Web Menu: The product does not contain any link. The case without any target is stated "Supports", as explained in the Terms".  CaptureOnTouch V5: The product does not contain any link. The case without any target is stated "Supports", as explained in the Terms".  DriverSettingTool: The product does not contain any link. The case without any target is stated "Supports", as explained in the Terms".  DOCUMENT: Each link can be easily understood the purpose of it.</p>
<p>2.4.5 Multiple Ways(AA): More than one way is available to locate a Web page within a set of Web pages except where the Web Page is the result of, or a step in, a process.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms".  SCANNER DRIVER: Driver does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".  Web Menu: Web Page is the result of, or a step in, a process. The case without any target is stated "Supports", as explained in the Terms".  CaptureOnTouch V5: CaptureOnTouch does not contain a web page.  The case without any target is stated "Supports", as explained in the Terms".  DriverSettingTool: DriverSettingTool does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".  DOCUMENT: "Contents" and "Search" are provided on Help of the scanner driver for available to locate a page.</p>
<p>2.4.6 Headings and Labels(AA): Headings and labels describe topic or purpose.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Partially Supports</p>	<p>HARDWARE: The headings convey the intentions.  SCANNER DRIVER: Headings and Labels describe the purpose.  Web Menu: Headings and Labels describe the purpose.  CaptureOnTouch V5: Headings and Labels describe the purpose.  DriverSettingTool: Headings and Labels describe the purpose.  DOCUMENT: When using the User Manual, some contents are not read as correct reading sequence. Therefore it is hard to understand the meaning.</p>



<p>2.4.7 Focus Visible(AA): Any keyboard operable user interface has a mode of operation where the keyboard focus indicator is visible.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Does not Support CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The focus is controllable by the hard keys of product itself, and the focused item is visible on the display.</p> <p>SCANNER DRIVER: The keyboard focus can be recognized visually in the keyboard operable user interface.</p> <p>Web Menu: Some contents do not display a keyboard focus indicator.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: The keyboard focus can be recognized visually in the keyboard operable user interface.</p> <p>DOCUMENT: The keyboard focus can be recognized visually in the keyboard operable user interface.</p>
<p>2.5.1 Pointer Gestures(A):All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The display of the product does not require multipoint or pathbased gestures for operation.</p> <p>SCANNER DRIVER: No function that uses multipoint or path-based gestures for operation in driver. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: No function that uses multipoint or path-based gestures for operation in Web Menu. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: No function that uses multipoint or path-based gestures for operation in CaptureOnTouch. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: No function that uses multipoint or path-based gestures for operation in DriverSettingTool. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: There is no multipoint gestures for operation. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>2.5.2 Pointer Cancellation(A):For functionality that can be operated using a single pointer, at least one of the following is true: No Down-Event: The down-event of the pointer is not used to execute any part of the function; Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion; Up Reversal: The up-event reverses any outcome of the preceding down-event; Essential: Completing the function on the down-event is essential.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The product has no touch panel. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: For functionality that can be operated using a single pointer, it is easily available to abort or undo the function.</p> <p>Web Menu: Web Menu does not have single pointer operations. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: For functionality that can be operated using a single pointer, it is easily available to abort or undo the function.</p> <p>DriverSettingTool: For functionality that can be operated using a single pointer, it is easily available to abort or undo the function.</p> <p>DOCUMENT: Pointer Cancellation is available. User can abort the function before completion or to undo the function after completion.</p>
<p>2.5.3 Label in Name(A):For user interface components with labels that include text or images of text, the name contains the text that is presented visually.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Partially Supports Web Menu: Does not Support CaptureOnTouch V5: Does not Support DriverSettingTool: Does not Supports DOCUMENT: Supports</p>	<p>HARDWARE: The contents of display is not programmatically interpretable. While some functions are provided by Web Menu on PC, but for some contents, the item name of the check box is read out one step apart.</p> <p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>Web Menu: The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p> <p>DOCUMENT: There is no user interface components with labels in the Manual. Label in the Help of the scanner driver can be recognized programmatically.</p>

<p>2.5.4 Motion Actuation(A):Functionality that can be operated by device motion or user motion can also be operated by user interface components and responding to the motion can be disabled to prevent accidental actuation, except when:</p> <p>Supported Interface: The motion is used to operate functionality through an accessibility supported interface;</p> <p>Essential: The motion is essential for the function and doing so would invalidate the activity.</p>	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Supports</p> <p>DOCUMENT: Supports</p>	<p>HARDWARE: There are no functions that can be operated by the device motion or user motion.</p> <p>SCANNER DRIVER: There is no function that can be operated by device motion or user motion in the driver. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: There is no function that can be operated by device motion or user motion in the Web Menu. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: There is no function that can be operated by device motion or user motion in the CaptureOnTouch. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: There is no function that can be operated by device motion or user motion in the driverSettingTool. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: No function that can be operated by device motion or user motion. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>3.1.1 Language of Page(A): The default human language of each Web page can be programmatically determined.</p>	<p>HARDWARE: Partially Supports</p> <p>SCANNER DRIVER: Partially Supports</p> <p>Web Menu: Partially Supports</p> <p>CaptureOnTouch V5: Does not Support</p> <p>DriverSettingTool: Does not Supports</p> <p>DOCUMENT: Partially Supports</p>	<p>HARDWARE: The contents of display is not programmatically interpretable. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>Web Menu: The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p> <p>DOCUMENT: When using the User Manual, some contents cannot read correctly. Help of the scanner driver cannot focus on some functions.</p>
<p>3.1.2 Language of Parts(AA): The human language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.</p>	<p>HARDWARE: Supports</p> <p>SCANNER DRIVER: Supports</p> <p>Web Menu: Supports</p> <p>CaptureOnTouch V5: Supports</p> <p>DriverSettingTool: Does not Supports</p> <p>DOCUMENT: Partially Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: The human language of each parts are programmatically determined. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: The human language of each parts are programmatically determined. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: The product does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: For recognizing some UI objects, the use of assistive technology (e.g.JAWS) is needed. However, some UI objects are not read.</p> <p>DOCUMENT: Help of the scanner driver cannot focus on some functions.</p>

<p>3.2.1 On Focus(A): When any user interface component receives focus, it does not initiate a change of context.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Partially Supports Web Menu: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The focus is controllable by the hard keys of product itself, and the items do not initiate a change of context just by receiving focus.</p> <p>SCANNER DRIVER: The roles, states, boundary, names, and description of UI objects in the driver can be recognized programmatically. However, information of some UI objects are not read.</p> <p>Web Menu: There is no component that initiates a change of context when receives focus in Web Menu.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: There are no UI components in the printer DriverSettingTool that change context upon receiving focus. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: It has no component that initiates a change of context, when user interface receives focus.</p>
<p>3.2.2 On Input(A): Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behavior before using the component.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Does not Support CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: The focus is controllable by the hard keys of product itself, and the items do not cause serious unpredictable change of context, automatically.</p> <p>SCANNER DRIVER: Some buttons or radio button clicks display additional settings, but additional settings are predictable.</p> <p>Web Menu: The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: Some buttons or radio button clicks display additional settings, but additional settings are predictable.</p> <p>DOCUMENT: Changing the setting of any user interface component does not cause a change of context.</p>
<p>3.2.3 Consistent Navigation(AA): Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: The product does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: There are no Navigational mechanisms that are repeated on multiple Web pages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: The product does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: The product does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: There are no content that are repeated on multiple Web pages. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>3.2.4 Consistent Identification(AA): Components that have the same functionality within a set of Web pages are identified consistently.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: The product does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: There are no Components that have the same functionality. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: The product does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: The product does not contain a web page. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: There is no Components that have the same functionality within a set of Web pages. The case without any target is stated "Supports", as explained in the Terms".</p>

<p>3.3.1 Error Identification(A): If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Remote UI on PC, however, some error messages cannot be read out by screen reader.</p> <p>SCANNER DRIVER: If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p> <p>Web Menu: If an input error is automatically detected, the item that is in error can be identified.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: If an input error is automatically detected, the item that is in error is identified and the error is described to the user in text.</p> <p>DOCUMENT: There is no component that an input error occurs. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>3.3.2 Labels or Instructions(A): Labels or instructions are provided when content requires user input.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Does not Support CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: Visual label is provided for user inputs on the display of the product itself. Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, and labels and instructions, which can be read out by screen reader, are provided for the user inputs.</p> <p>SCANNER DRIVER: All entry fields in the user interface of the driver are labeled.</p> <p>Web Menu: The roles, states, boundary, names, and description of UI objects in the Web Menu can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: All entry fields in the user interface of the driver are labeled.</p> <p>DOCUMENT: All content requires user input is provided labels or instructions.</p>
<p>3.3.3 Error Suggestion(AA): If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.</p>	<p>HARDWARE: Partially Supports SCANNER DRIVER: Partially Supports Web Menu: Supports when combined with Compatible AT CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: Speech output is not provided by the product itself. Some functions are provided by Remote UI on PC,</p> <p>SCANNER DRIVER: Messages with instructions for correcting errors are displayed in the UI of the driver for all locations where errors can occur. However, information of some UI objects are not read.</p> <p>Web Menu: Messages with instructions for correcting errors are displayed in the UI of the Web Menu for all locations where errors can occur. However, for the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: Messages with instructions for correcting errors are displayed in the UI of the DriverSettingTool for all locations where errors can occur.</p> <p>DOCUMENT: There is no component that an input error occurs. The case without any target is stated "Supports", as explained in the Terms".</p>

<p>3.3.4 Error Prevention (Legal, Financial, Data)(AA): For Web pages that cause legal commitments or financial transactions for the user to occur, that modify or delete user-controllable data in data storage systems, or that submit user test responses, at least one of the following is true:</p> <ol style="list-style-type: none"> <li>1. Reversible: Submissions are reversible.</li> <li>2. Checked: Data entered by the user is checked for input errors and the user is provided an opportunity to correct them.</li> <li>3. Confirmed: A mechanism is available for reviewing, confirming, and correcting information before finalizing the submission.</li> </ol>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: There is no legal and financial screen in the device UI. Speech output is not provided by the product itself, but some functions are provided by Web Menu on PC.</p> <p>SCANNER DRIVER: There is no case in driver. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: There is no case in Web Menu. The case without any target is stated "Supports", as explained in the Terms".</p> <p>CaptureOnTouch V5: There is no case in CaptureOnTouch. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: There is no case in driverSettingTool. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: There is no case in Electronic Docs. The case without any target is stated "Supports", as explained in the Terms".</p>
<p>4.1.1 Parsing(A): In content implemented using markup languages, elements have complete start and end tags, elements are nested according to their specifications, elements do not contain duplicate attributes, and any IDs are unique, except where the specifications allow these features.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: No part of the driver is implemented using markup languages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: The HTML used in the Web Menu adheres to the appropriate standards.</p> <p>CaptureOnTouch V5: The HTML used in the remote UI adheres to the appropriate standards.</p> <p>DriverSettingTool: No part of the driver is implemented using markup languages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: Markup languages used are nested according to their specifications.</p>
<p>4.1.2 Name, Role, Value(A): For all user interface components (including but not limited to: form elements, links and components generated by scripts), the name and role can be programmatically determined; states, properties, and values that can be set by the user can be programmatically set; and notification of changes to these items is available to user agents, including assistive technologies.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Does not Support DriverSettingTool: Supports DOCUMENT: Partially Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: In the driver, names and roles of UI components can be recognized and configured programmatically, and notification of changes can be made available.</p> <p>Web Menu: In the Web Menu, names and roles of UI components can be recognized and configured programmatically, and notification of changes can be made available.</p> <p>CaptureOnTouch V5: The roles, states, boundary, names, and description of UI objects in the CaptureOnTouch can be recognized programmatically. However, information of some UI objects are not read with .</p> <p>DriverSettingTool: In the driver setting tool, names and roles of UI components can be recognized and configured programmatically, and notification of changes can be made available.</p> <p>DOCUMENT: Help of the scanner driver cannot focus on some functions.</p>
<p>4.1.3 Status Messages(AA):In content implemented using markup languages, status messages can be programmatically determined through role or properties such that they can be presented to the user by assistive technologies without receiving focus.</p>	<p>HARDWARE: Supports SCANNER DRIVER: Supports Web Menu: Supports CaptureOnTouch V5: Supports DriverSettingTool: Supports DOCUMENT: Supports</p>	<p>HARDWARE: This requirement is not applied to firmware in accordance with EN 301 549. The case without any target is stated "Supports", as explained in the Terms".</p> <p>SCANNER DRIVER: No part of the driver is implemented using markup languages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>Web Menu: The status message in Web menu can be confirmed without moving focus on the status message.</p> <p>CaptureOnTouch V5: No part of the CaptureOnTouch is implemented using markup languages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DriverSettingTool: No part of the driverSettingTool is implemented using markup languages. The case without any target is stated "Supports", as explained in the Terms".</p> <p>DOCUMENT: It has no content to display status messages. The case without any target is stated "Supports", as explained in the Terms".</p>

**Chapter 5: Functional Performance Statements**

Criteria	Conformance Level	Remarks and Explanations
5.1.2 Blindness	Partially Supports	<p><b>HARDWARE:</b> Some functions are provided by Web Menu on PC, which can be read out by screen reader.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards, and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Some information not be read or not be read in the correct information or reading sequence. Some functions cannot be operated using the keyboard. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation. Help of the scanner driver cannot focus on some functions.</p>
5.1.3 Low vision	Partially Supports	<p><b>HARDWARE:</b> The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. This product supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons. When using reflow, some graphic objects are not laid out correctly. CaptureOnTouch runs on systems with keyboards and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Some information not be read or not be read in the correct information or reading sequence. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" button. Some contents do not meet the requirements of Resize text. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DOCUMENTS:</b> Some information not be read or not be read in the correct information or reading sequence. When using reflow, some graphic objects are not laid out correctly. Help of the scanner driver cannot focus on some functions.</p>
5.1.4 Colour blindness	Partially Supports	<p><b>HARDWARE:</b> Supports.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. This product supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" and button.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation.</p>
5.1.5 Deafness	Partially Supports	<p><b>HARDWARE:</b> Supports.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation.</p>
5.1.6 Hearing impairment	Partially Supports	<p><b>HARDWARE:</b> Supports.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation. Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>

5.1.7 Speech impairment	Partially Supports	<p>HARDWARE: Not applicable.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Supports.</p> <p>Web Menu: Some information not be read or not be read in the correct information or reading sequence. Some functions cannot be operated using the keyboard. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DOCUMENTS: Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>
5.1.8 Impairment that limits upper limb strength and action (limited manipulation)	Partially Supports	<p>HARDWARE: The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Information of some UI objects are not read.</p> <p>CaptureOnTouch V5: Information of some UI objects are not read. CaptureOnTouch runs on systems with keyboards and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DriverSettingTool: Information of some UI objects are not read.</p> <p>Web Menu: Information of some UI objects are not read. Some functions cannot be operated using the keyboard. Focusable components in some functions may impair meaning and operability. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p>DOCUMENTS: Help of the scanner driver cannot focus on some functions. When using the User Manual, some contents are not read as correct reading sequence.</p>
5.1.8 Impairment that limits upper limb strength and action (limited strength)	Partially Supports	<p>HARDWARE: The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Not applicable.</p> <p>CaptureOnTouch V5: Not applicable.</p> <p>DriverSettingTool: Not applicable.</p> <p>Web Menu: Not applicable.</p> <p>DOCUMENTS: Supports.</p>
5.1.9 Impairment that limits reach ranges	Partially Supports	<p>HARDWARE: The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.</p> <p>Scanner Driver: Not applicable.</p> <p>CaptureOnTouch V5: Not applicable.</p> <p>DriverSettingTool: Not applicable.</p> <p>Web Menu: Not applicable.</p> <p>DOCUMENTS: Supports.</p>
5.1.10 Photosensitive seizure	Supports	<p>The product does not have any component which may trigger photosensitive seizures.</p>

5.1.11 Cognitive, language, or learning disorders	Partially Supports	<p><b>HARDWARE:</b> The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader</p> <p><b>Scanner Driver:</b> Information of some UI objects are not read.</p> <p><b>CaptureOnTouch V5:</b> Information of some UI objects are not read. This software supports the requirement that the text has a contrast ratio, except for the "SCAN" and "Finish" buttons. CaptureOnTouch runs on systems with keyboards, and the order of focus preserves meaning and operability. However, for some contents, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DriverSettingTool:</b> Information of some UI objects are not read.</p> <p><b>Web Menu:</b> Some information not be read or not be read in the correct information or reading sequence. Web Menu supports the requirement that the text has a contrast ratio, except for the "SCAN" and button. Some contents do not display a keyboard focus indicator. For the reading of Error Suggestion, the use of assistive technology (e.g. JAWS) is needed.</p> <p><b>DOCUMENTS:</b> Some of the non-text content items (icons) have no text explanation. Some information not be read or not be read in the correct information or reading sequence. When using reflow, some graphic objects are not laid out correctly. Help of the scanner driver cannot focus on some functions.</p>
---	--------------------	---

## Chapter 6: Requirements

Criteria	Conformance Level	Remarks and Explanations
6.1 General The basic requirements which shall be followed with respect to office equipment in order to ensure and improve accessibility are as specified in 6.2 to 6.13.	No response required	
6.2 Closed functionality 6.2.1 General Office equipment with closed functionality shall be operable without requiring the user to attach or install assistive technology and shall conform to the following items.	No response required	
6.2.2 Speech-output enabled 6.2.2.1 General For the operation of a screen, such as the control panel, an operation with voice guidance shall be provided.	No response required	
6.2.2.2 Information displayed on-screen Voice guidance shall be provided for all information displayed on-screen.	Supports through Equivalent Facilitation	Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, which can be read out by screen reader.
6.2.2.3 Spoken languages Voice guidance shall be output in the same human language as the displayed language.	Supports through Equivalent Facilitation	Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, which can be read out by screen reader.
6.2.2.4 Speech delivery type and coordination Voice guidance shall be delivered in a mechanism that can be easily used by all users. Examples include, but are not limited to, direct audio output (or bundled audio output), industry standard connectors, telephone handsets, and the like. Speech shall be recorded or digitized human or synthesized. Voice guidance shall be coordinated with information displayed on the screen.	Not applicable	Speech output is not provided by the product itself.
6.2.2.5 User control Voice guidance for any single function shall be automatically interrupted when a transaction is selected. Voice guidance shall be capable of being repeated and paused. Where it is essential that the user hears the entire message, for example a safety instruction or warning, office equipment shall block all user action so that speech is not interrupted.	Not applicable	Speech output is not provided by the product itself.
6.2.2.6 Non-interfering audio output During voice guidance, another guidance (warning notification) or auditory signal that lasts three seconds or longer shall not be automatically played.	Not applicable	Speech output is not provided by the product itself.
6.2.2.7 Tactile indication of speech output mode Where voice guidance is provided, a tactile symbol to initiate the guidance shall be provided.	Not applicable	Speech output is not provided by the product itself.
6.2.3 Volume 6.2.3.1 General Where sound such as voice guidance is delivered, volume control and output amplification conforming to 6.2.3.2 and 6.2.3.3 shall be provided. Deliver the voice guidance as the main operation means, and when the use by the hearing impairment users is assumed, a) volume shall be adjusted within a range of at least 18 dB, b) at least one intermediate step of 12 dB above the lowest volume level shall be provided.	Not applicable	The product does not have communication function.



<p>6.2.3.2 Private listening</p> <p>Where private listening is provided, non-visual mode of operation for controlling the volume shall be provided.</p>	Not applicable	Speech output is not provided by the product itself.
<p>6.2.3.3 Non-private listening</p> <p>Where non-private listening is provided,</p> <p>a) speaker volume can be amplified up to a level of at least 65 dB (both speech and auditory signals),</p> <p>b) the volume shall be automatically reset to the default level after every use. (only speech).</p> <p>For personal authentication, it may have a function not to reset.</p>	Not applicable	Speech output is not provided by the product itself.
<p>6.2.4 Characters on display screens</p> <p>At least one mode of characters displayed on the screen shall be in a sans serif font.</p> <p>Where a screen enlargement feature is not provided, characters shall be 4,8 mm or higher based on the uppercase letter "I" or "H".</p>	Supports through Equivalent Facilitation	The height of characters on display is less than 2mm and their contrasts are not clear enough. However, some functions are provided by Web Menu on PC, which can be read out by screen reader
<p>6.3 Biometrics</p> <p>Where provided, biometrics shall not be the only means for user identification or control.</p> <p>Exception: Where at least two biometric options that use different biological characteristics are provided, using biometrics shall be permitted as the only means for user identification or control.</p>	Not applicable	Biometric forms of user identification are not used.
<p>6.4 Preservation of information provided for accessibility</p> <p>Where video and other contents with information added for accessibility are delivered to multi-function devices, non-proprietary information provided for accessibility shall not be removed or shall be restored upon delivery.</p>	Not applicable	Functionality that transmits and converts information or communication is not provided.
<p>6.5 Privacy</p> <p>6.5.1 General</p> <p>The same degree of privacy of input and output shall be provided to all individuals.</p>	Not applicable	Speech output is not provided by the product itself.
<p>6.5.2 Masked entry</p> <p>Where auditory output is provided as non-visual access to closed functionality, and the characters displayed are masking characters, the auditory output shall not be a spoken version of the characters entered unless the auditory output is known to be delivered only to a mechanism for private listening, or the user explicitly chooses to allow non-private auditory output.</p>	Not applicable	Speech output is not provided by the product itself.
<p>6.5.3 Private access to personal data</p> <p>Where auditory output is provided as non-visual access to a closed functionality, and the output contains data that is considered to be private according to the applicable privacy policy, the corresponding auditory output shall only be delivered through a mechanism for private listening that can be connected without requiring the use of vision, or through any other mechanism explicitly chosen by the user.</p>	Not applicable	Speech output is not provided by the product itself.
<p>6.6 Standard connections</p> <p>Where data connections used for input and output are provided, at least one of each type of connection shall conform to industry standard non-proprietary formats.</p>	Supports	This product provides connections that conform industry standards.
<p>6.7 Operable parts</p> <p>6.7.1 General</p> <p>Operable parts used in the normal operation of office equipment shall conform to 6.7.</p>	No response required	
<p>6.7.2 Contrast</p> <p>Where operation parts such as hard keys and levers are provided, they shall ensure to contrast visually from background surfaces. Characters and symbols printed on office equipment shall ensure to contrast visually from background surfaces with either light characters or symbols on a dark background or dark characters or symbols on a light background.</p>	Supports	There are considerable contrasts between characters and symbols to the background, so that the keys are recognizable. The controls contrasts to the background.
<p>6.7.3 Input controls</p> <p>6.7.3.1 General</p> <p>At least one input control conforming to 6.7.3.2, 6.7.3.3, or 6.7.3.4 shall be provided for each function of office equipment.</p>	No response required	
<p>6.7.3.2 Tactilely discernible</p> <p>Where office equipment has operable parts by hand, it shall provide a means to tactilely discern each operable part. It shall also be discernible by touch without activation.</p>	Supports	All hard keys are tactilely discernable.
<p>6.7.3.3 Alphabetic keys</p> <p>Where provided, individual alphabetic keys shall be arranged in a QWERTY-based keyboard layout and the "F" and "J" keys shall be tactilely distinct from the other keys.</p>	Not applicable	Alphabetic keys are not provided.
<p>6.7.3.4 Numeric keys</p> <p>Where provided, numeric keys shall be arranged in a 12-key ascending or descending keypad layout.</p> <p>The number five key shall be tactilely distinct from the other keys.</p> <p>Where the office equipment provides an alphabetic overlay on numeric keys, the relationships between letters and digits shall conform to ITU-T E.161.</p>	Not applicable	Numeric keys are not provided.

<p>6.7.4 Key repeat</p> <p>Where a keyboard with key repeat is provided and the key repeat cannot be turned off, the time before the key repeat is activated shall be fixed at 2 s, or adjustable to 2 or more seconds.</p> <p>The key repeat rate shall be adjustable to 2 or more seconds per character.</p>	Supports through Equivalent Facilitation	Key repeat function is not adjustable. However, some functions are provided by Web Menu on PC, which can be adjusted by key repeat function on PC.
<p>6.7.5 Double-strike key</p> <p>Where a keyboard or keypad is provided and the same operation as the previous keystroke was performed, the time during which the next keystroke will not be accepted shall be adjustable 0,5 s or more.</p>	Supports through Equivalent Facilitation	Key repeat function is not adjustable. However, some functions are provided by Web Menu on PC, which can be adjusted by key repeat function on PC.
<p>6.7.6 Timed response</p> <p>Where a timed response is required, and the timed response function cannot be turned off, the user shall be alerted visually, as well as by touch or sound, and shall be given the opportunity to indicate that more time is needed.</p>	Not applicable	Timed response is not provided.
<p>6.7.7 Simultaneous user actions</p> <p>Where office equipment requires simultaneous user actions for the user, office equipment shall provide at least one action that does not require simultaneous user actions.</p>	Supports	Simultaneous action is not provide.
<p>6.7.8 Physical operation</p> <p>At least one mode of operation shall be operable with one hand and the operation shall not require tight grasping, pinching, or twisting of the wrist.</p> <p>The operation shall require a maximum force of 22,2 N.</p>	Partially Supports	The product supports the requirements except for the OPEN lever (that is used to remove the jammed paper) which requires pinching operation to open and close.
<p>6.7.9 Fare cards and key cards</p> <p>Where operation of office equipment requires fare cards or key cards and orientation is important to use, orientation shall be tactilely discernible.</p>	Not applicable	This product does not require use of card.
<p>6.7.10 Reach height and depth</p> <p>6.7.10.1 General</p> <p>At least one of each type of operable part of floor type office equipment shall be at a height conforming to 6.7.10.3 or 6.7.10.4 according to its position established by the vertical reference plane specified in 6.7.10.2 for a side reach or a forward reach. Operable parts used with speech output required by 6.2.2 shall not be the only type of operable part complying with 6.7.10 unless that part is the only operable part of its type.</p>	No response required	
<p>6.7.10.2 Vertical reference plane</p> <p>6.7.10.2.1 General</p> <p>Operable parts shall be positioned for a side reach or a forward reach determined with respect to a vertical reference plane. The vertical reference plane shall be located in conformance to 6.7.10.2.2 or 6.7.10.2.3.</p>	No response required	
<p>6.7.10.2.2 Vertical plane for side reach</p> <p>Where a side reach is provided, the vertical reference plane shall be 1 220 mm (48 inches) long minimum.</p>	Not applicable	Device is intended for tabletop.
<p>6.7.10.2.3 Vertical plane for forward reach</p> <p>Where a forward reach is provided, the vertical reference plane shall be 760 mm (30 inches) long minimum.</p>	Not applicable	Device is intended for tabletop.
<p>6.7.10.3 Side reach</p> <p>6.7.10.3.1 General</p> <p>Operable parts of office equipment providing a side reach shall conform to 6.7.10.3.2 or 6.7.10.3.3. The vertical reference plane shall be centred on the operable part and placed at the leading edge of the maximum protrusion of the office equipment within the length of the vertical reference plane. Where a side reach requires a reach over a portion of the office equipment, the height of that portion of the office equipment shall be 865 mm (34 inches) maximum.</p>	Not applicable	Device is intended for tabletop.
<p>6.7.10.3.2 Unobstructed side reach</p> <p>Where the operable part is located 255 mm (10 inches) or less beyond the vertical reference plane, the operable part shall be 1 220 mm (48 inches) high maximum and 380 mm (15 inches) high minimum above the floor.</p>	Not applicable	Device is intended for tabletop.
<p>6.7.10.3.3 Obstructed side reach</p> <p>Where the operable part is located more than 255 mm (10 inches), but not more than 610 mm (24 inches), beyond the vertical reference plane, the height of the operable part shall be 1 170 mm (46 inches) high maximum and 380 mm (15 inches) high minimum above the floor. The operable part shall not be located more than 610 mm (24 inches) beyond the vertical reference plane.</p>	Not applicable	Device is intended for tabletop.
<p>6.7.10.4 Forward reach</p> <p>6.7.10.4.1 General</p> <p>Operable parts of office equipment providing a forward reach shall conform to 6.7.10.4.2 or 6.7.10.4.3. The vertical reference plane shall be centred, and intersect with, the operable part. Where a forward reach allows a reach over a portion of the office equipment, the height of that portion of the office equipment shall be 865 mm (34 inches) maximum.</p>	Not applicable	Device is intended for tabletop.

6.7.10.4.2 Unobstructed forward reach Where the operable part is located at the leading edge of the maximum protrusion within the length of the vertical reference plane of the office equipment, the operable part shall be 1 220 mm (48 inches) high maximum and more than 380 mm (15 inches) high minimum above the floor.	Not applicable	Device is intended for tabletop.
6.7.10.4.3 Obstructed forward reach 6.7.10.4.3.1 General Where the operable part is located beyond the leading edge of the maximum protrusion within the length of the vertical reference plane, the operable part shall conform to 6.7.10.4.3.2 and 6.7.10.4.3.3. The maximum allowable forward reach to an operable part shall be 635 mm (25 inches).	Not applicable	Device is intended for tabletop.
6.7.10.4.3.2 Operable part height for office equipment with obstructed forward reach Reach depth: 510 mm (20 inches) or less, Operable part height: 1 220 mm (48 inches) maximum Reach depth: More than 510 mm (20 inches) to 635 mm (25 inches) or less, Operable part height: 1 120 mm (44 inches) maximum	Not applicable	Device is intended for tabletop.
6.7.10.4.3.3 Knee and toe space under office equipment with obstructed forward reach Knee and toe space under the office equipment shall be 685 mm (27 inches) high minimum, 635 mm (25 inches) deep maximum, and 760 mm (30 inches) wide minimum and shall be clear of obstructions.	Not applicable	Device is intended for tabletop.
6.8 Visibility of display screens Where office equipment provides one or more display screens, at least one of each type of display screen shall be visible from a point located 1 015 mm (40 inches) above the floor.	Not applicable	Device is intended for tabletop.
6.9 Flashing Where office equipment emits lights in flashes, there shall be no more than three flashes in any one-second period.	Supports	No flashing which may affect users.
6.10 Status indicators Where provided, status indicators shall be discernible visually and by touch or sound.	Supports	
6.11 Colour coding Where provided, colour coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports	All information conveyed using color is also conveyed using text and icons.
6.12 Audible signals Where provided, audible signals or cues shall not be used as the only means of conveying information, indicating an action, or prompting a response.	Supports	All notification sounds played during operation of the device are accompanied by visual UI elements.
6.13 Software requirements for closed functionality 6.13.1 General Office equipment with software closed to assistive technologies shall conform to 6.13.2 to 6.13.12. NOTE The following requirements are premised the use of office equipment, harmonizing with the related requirements of WCAG 2.1, as EN 301 549 requires to satisfy WCAG 2.1.	No response required	
6.13.2 Sensory characteristics Instructions provided for understanding and operating content do not rely solely on sensory characteristic of components such as shape, colour, size, visual location, orientation, or sound (WCAG 2.1:2018, 1.3.3).	Partially Supports	Speech output is not provided by the product itself. Some functions are provided by Web Menu on PC, however, some ink levels and some non-text content (icons) are not read or have no information.
6.13.3 Audio control If any audio on an office equipment plays automatically for more than 3 s, either a mechanism is available to pause or stop the audio, or a mechanism is available to control audio volume independently from the overall system volume level (WCAG 2.1:2018, 1.4.2).	Supports	The product has no audio content.
6.13.4 Text contrast The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following (WCAG 2.1:2018, 1.4.3):	Partially Supports	The contrast of display is clear enough. Some functions are provided by Remote UI on PC, which can be read out and enlarged by assistive technologies.
6.13.5 Non-text contrast The visual presentation of the following has a contrast ratio of at least 3:1 against adjacent colour(s) (WCAG 2.1:2018, 1.4.11):	Supports	The contrast of display is clear enough. Some functions are provided by Remote UI on PC, which can be read out and enlarge by assistive technologies.
6.13.6 No-key trap If focus can be moved between components using a key interface, then focus can be moved away from that component using only a key interface, and, if it requires more than usual methods, the user is advised of the method for moving focus away (WCAG 2.1:2018, 2.1.2).	Supports	The elements of user interface can be displayed and selected using the consistent mechanism using the arrow keys, the OK key and the back key. Some functions are provided also by Web Menu on PC, and operable with the keyboards.
6.13.7 Pause, stop, hide For moving, blinking, scrolling, or auto-updating information, all of the following are true (WCAG 2.1:2018, 2.2.2):	Partially Supports	For the long messages, they keep on move on the display, and there is no mechanism for the user to pause, stop, or hide.

6.13.8 Focus order If a display can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability (WCAG 2.1:2018, 2.4.3)	Supports	The focus moves in an order that ensures and maintains the meaning and usability.
6.13.9 Focus visible Any key-operable user interface has a mode of operation where the focus indicator is visible (WCAG 2.1:2018, 2.4.7).	Supports	The focus is controllable by the hard keys of product itself, and the focused item is visible on the display.
6.13.10 Pointer gestures All functionality that uses multipoint or path-based gestures for operation can be operated with a single pointer without a path-based gesture, unless a multipoint or path-based gesture is essential (WCAG 2.1:2018, 2.5.1)	Supports	The display of the product does not require multipoint or pathbased gestures for operation.
6.13.11 Label in name For user interface of speech input, which have labels that include text or image of text, the name contains the text that is presented visually (WCAG 2.1:2018, 2.5.3).	Partially Supports	The contents of display is not programmatically interpretable. While some functions are provided by Web Menu on PC, but for some contents, the item name of the check box is read out one step apart.
6.13.12 On focus When any user interface component receives focus, it does not initiate a change of context (WCAG 2.1:2018, 3.2.1).	Supports	The focus is controllable by the hard keys of product itself, and the items do not initiate a change of context just by receiving focus.

## Chapter 7: Support Documentation and Services

Criteria	Conformance Level	Remarks and Explanations
7.1 Disclosure of information related to accessibility When users purchase and use office equipment, the provider of office equipment shall provide the user with information related to the accessibility of the office equipment, so that the user can easily select an office equipment with the appropriate accessibility features to match the user needs.	Supports	This VPAT lists and explains the features required by EN 301 549 requirements
7.2 Requirements for user documentation and support services Customer service representatives or equivalent services shall be provided to users, and multiple access methods shall be available to users to communicate with these services.	Supports	The WCAG is applied to the documentation. See WCAG section for the results.  Support services will provide information about functions related to accessibility by means according to user's requests.  The sales company provides support services that take into consideration users with disabilities.

**Note1:** This document was prepared based on normal walk-up functionality. It does not include maintenance and troubleshooting procedures. The information contained in this document is proprietary information and is not for reproduction, publication or manipulation in any way or form. This document addresses a multitude of the product's features; however, any specific inquiries should be made to the Canon Marketing Representative.

**Note2:** Comments in the "Conformance Level" column are based on the Information Technology Industry Council's suggested language for use when filling out the Voluntary Product Accessibility Template. The Remarks and Explanations column provides additional information on the evaluation results, and explains the standard functions of the product that can accommodate users with disabilities.

**Note3:** This document is for informational purposes only. This information is based on Canon's current understanding of the standards. It is not intended to address applicability of these laws to a particular end-user, customer, application or procurement.

**Note4:** All product design and specifications are subject to change. Some of the information may be based upon data collected or tests conducted on similar product modules.

**Note5:** The information in this Report should not be considered a contractual agreement by Canon. FURTHER, THE INFORMATION AND MATERIALS PROVIDED IN THIS REPORT ARE "AS IS" WITHOUT WARRANTIES OF ANY KIND, INCLUDING WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF INTELLECTUAL PROPERTY. Canon does not warrant the accuracy and completeness of the information or materials in this Report. Canon may make changes to the information in this Report, or to the products described in this Report at any time, without notice.